

PRICE LIST | JANUARY 2023

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Fellowes Representative.





### **Surface Material Program**

The Fellowes Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Fellowes offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Fellowes Surface Materials vocabulary.

### **Standard Program**

Fellowes' Standard Program of timeless and popular fabrics, finishes, vinvls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Fellowes. Materials in the Fellowes Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

## **Scheduled Program**

Fellowes' Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go the the surface material page on our website at www.Trendway.com and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Fellowes customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

### COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Fellowes product. For detailed information please see page 92 or Trendealer.com.

## **Pre-Approved COM**

Select from popular COM fabrics pre-approved by Fellowes. Customers are able to search the COM library on dealer.trendway.com for fabrics and specific applications that have passed manufacturability testing on Fellowes product.

### **HOW TO ORDER SAMPLES**

## **Standard Program Binder Cards**

Seating and panel binder cards are available through Fellowes fulfillment. dealer.trendway.com

#### Standard Program Samples

Samples of fabrics and finishes are available through Fellowes fulfillment. dealer.trendway.com

#### Scheduled Samples

Samples must be ordered directly through the supplier. Contact information is listed below and also on our website www.trendway.com/ surface-materials. Click on the link next to the swatch samples.

#### Camira

www.camirafabrics.com 1-616-288-0655

## **Culp Contract**

www.culpcontract.com 336-888-6274

## Guilford Of Maine®

www.guilfordofmaine.com 1-800-544-0200

## **Mayer Fabrics**

www.mayerfabrics.com 1-800-428-4415

#### Momentum® Textiles

www.memosamples.com 1-800-366-6839

#### Nevamar

www.nevamar.com 1-800-638-4380

www.pionite.com 1-800-746-6483

#### **Ultrafabrics®**

www.ultrafabricsinc.com 914-460-1730

### Wilsonart®

www.wilsonart.com 1-800-433-3222

## **Surface Material Legend**



= 100% Recycled Content



= Bleach Cleanable.Refer to specific cleaning instructions for each fabric on www.Trendway.com.




		Choices Panels &		Tackbo	oards			
Pattern	Capture Tiles	All Systems Components	Fabric Screens	> 60"	< 60"	TrendWall	Volo	Cushion Tops
Amaze	+	•		R			+	•
Anchorage	+	•	+	R			+	•
Aurora	+	•	•	R			+	•
Chase	+	•	+	R			+	•
Framework	\$	<₽	4>	♦	♦		€	•
Glint		•		R			+	•
Intermix		•	•	R		•	+	•
Intuition*	+	•	•	R		•	+	+
Merge	dþ	<₽	\$	\$	4	♦	d∳⊳	\$
Mingle	1	•	•	R	•	•	•	•
Netiquette**	•	•	•	R		•		•
Pact		•		R		•	+	•
Pursuit	+	•		R			+	•
Tabby Weave	€	♦	♦	€	4	€	4	•

- Not Available
- Non Directional Pattern will be applied for best yield
- Down Roll The height dimension of the tile or component is parallel to the warp of the fabric
- R Railroaded The height dimension of the tile or component is perpendicular to the warp of the fabric
- \* Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo
- \*\* Not available on Choices Panels, but approved on Choice's Tackboards and Flipper Doors

## Down-Roll (♣)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

Fig. A



## **COM Fabrics**

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

## Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C





amewor		rade 0 Intermix		Grade 1	<b>Tabby Wea</b>	ave	Grade
alue Fab		🖒 Guilford o	f Maine		QQ3	Cement Mix	
KK1	Cappuccino	KDM	Foggy		175	Crystal Blue	
BJ7	Dove Gray	KDK	Husky		238	Grey Mix	
KK2	Espresso	KDT	Neptune		K99	Medium Grey	
B4Y	Eucalyptus	KDJ	Rocket Ship		380	Quartz	
B4X	Gray Blue	KDH	Seagull		BV2	Silver Papier	
KJX	Grotto	KDV	Smoky Quartz		150	Wedgewood	
BFP	Hunter	KDR	Swan		130	weagewood	
BFR	Marble	KDR	Swan				
B4V	Sandy Pebble	Minalo		Grade 1	<b>Anchorag</b>		Grade
BG8	Twilight	Mingle Guilford o	f Maina	Grade I	<b>Guilford C</b>	of Maine	
erge	G	rade 0			AR1	Angora	
Z42	Dove	Z53	Biscuit		AR0	Asteroid	
Z42	Driftwood	Z4X	Carbon		BF4	Aubergine	
		Z4Y	Crystal		AQ8	Birch	
Z44	Eucalyptus	Z52	Wheatberry		BF9	Cobalt	
Z45	Fawn	Z51	Winter		AQ7	Deep Water	
Z46	Fire Engine						
Z47	Graphite	Netiquette		Grade 1	BFM	Graphite	
Z49	Green Apple	KK5	Analog	_	BFF	Green Apple	
Z4A	lvy	KK3	Chipset		BFA	Lapis	
Z4C	Mandarin	KK4	Dashboard		BFD	Midnight	
Z4D	Marshmallow	KK8	Gamma		GEB	Onyx	
Z4F	Midnight	KK7	Inkjet		KX1	Pool	
Z4H	Slate	KKC	Pixel		BF2	Pumpkin	
		KKA	Refresh		AQ6	Quarry Blue	
					BFN	Red Delicious	
maze	Gr	KK6 ade 1 KK9	Schema		AQ5	Slate	
uilford o		ade 1 KK9	Vector		BFC	Thistle	
		Demonit		Cuada 1	AQ1	Vanilla	
Z4W	Morel	Pursuit		Grade 1	BXP	Waterfall	
Z4T	Platinum	Guilford o	t Maine		BFG	Willow	
Z4V	Steel	KDG	Cement		BFJ	Wolf	
Z4U	Sky	KDA	Dove		Di 0	VVOII	
		KDF	Elephant		Olimat		Ousda
urora		rade 1 KDC	Mist Grey		Glint	<u> </u>	Grade
uilford o		KD9	Whisper		Momentur		
Z55	Cloud	KDD	White Linen		KG4	Caspian	
Z54	Frost				KG5	Column	
Z56	Latte				KG7	Gypsum	
Z57	Pewter				KG9	Opal	
Z58	Granite				KJ2	Pumice	
					KGC	Relic	
nase	<u></u>	ade 1 Pact		Grade 2	KGE	Serene	
uilford o		Momentur		- J.: 440 E	KGF	Shale	
		BM5	Aloe				
Z4K	Coin	BM8	Coastal				
Z4M	Ecru				Intuition*		Grade
Z4P	Mushroom	BMA	Dove		Guilford of	of Maine	
Z4R	Pumice	BME	Fern		Z27	Bisque	
Z4N	Shadow	BMF	Harbour		Z2C	Honey	
		BMJ	Midnight		Z2E	Peacock	
		BMM	Patina		Z2G	Sage	
		BMN	Putty		220	Jugo	
		BMU	Sketch				
		BMW	Taupe				

P | 1-800-893-8115 F | 1-800-893-8121

<sup>\*</sup> Available on Capture, Fabric Screens, and Volo

4



## Standard Systems Finishes

Fellowes standard paints include smooth and textured styles in our six trim colors.

## Systems Paints and Trim

K Charcoal
DW Designer White
G Gray

L Light Gray
Y Sand
J Stucco

TK Textured Charcoal TDW Textured Designer White

TG Textured Gray
TL Textured Light Gray
TY Textured Sand
TJ Textured Stucco

## Premium Systems Finishes

**Premium finishes are offered at a modest upcharge.** Please refer to a specific item in your price list to determine the amount of upcharge.

## **Smooth Metallic Paint**

### **Anodized Aluminum**

PA Platinum EC Satin Etch (Volo only)

## Standard Vinyl Edgeband

Solid		Patterned		Woodgra	ain
K	Charcoal	E8	Casual Linen	W8	Beigewood
E1	Designer White	E9	Classic Linen	WE	Brazilwood
E6	Graphite	EB	Crisp Linen	W7	Empire Mahogany
L	Light Gray	EG	Earthen Twill	ER	Espresso Pearwood
Υ	Sand	EH	Graphite Twill	WY	Finnish Oak
E7	Shadow	EE	Sarum Twill	W5	Fusion Maple
J	Stucco			E5	Phantom Charcoal
				E4	Phantom Ecru
				E3	Phantom Pearl
				WZ	Walnut
				W6	Wild Cherry

## Panel Vinyls

## Solid

V39	Textured Charcoal	V53	Textured Platinum
V52	Textured Designer White	V48	Textured Sand
V51	Textured Light Gray	V49	Textured Stucco

## **Wood Veneer**

M4	Beigewood	M2	Fusion Maple
M5	Brazilwood	M9	Wild Cherry
M8	Empire Mahogany		

Note: Extended lead times apply to wood veneers.

Note: Multi-tile Volo panels with wood grain laminate or wood veneer are NOT vertically grain matched.

<sup>\*</sup> Available on Capture, Fabric Screens, and Volo

# **Fellowes**

## High Pressure Laminates – for Work Surfaces and Laminate Tiles

Ole and December 1	
Standard Program	
otaliaala i logialii	

Grade 1						Grade 2	
Solid		Pattern		Woodgrain	1	Woodgr	rain
583	Charcoal	J6B	Casual Linen	JOG	Beigewood	J9C	Phantom Charcoal
J0C	Designer White	J6A	Classic Linen	JOD	Brazilwood	J9B	Phantom Ecru
J9D	Graphite	J69	Crisp Linen	J2A	Empire Mahogany	J9A	Phantom Pearl
573	Light Gray	J9H	Earthen Twill	J9X	Expresso Pearwood		
J20	Sand	JM4	<b>Evening Tigris</b>	J98	Finnish Oak		
J04	Shadow	J9J	Graphite Twill	J25	Fusion Maple		
J11	Stucco	J09	White Tigris	J99	Walnut		
		J9G	Sarum Twill	J1R	Wild Cherry		

## Thermofused Laminates – for Storage and Laminate Tiles

Standa	rd Program			
Solid	Grade 1	Wood	grain	Grade 1
XZ4	Black	XZ8	Beige	ewood
XZH	Designer White	XZE	Brazi	lwood
		XZ3	Empi	ire Mahogany
		XY6	Espre	esso Pearwood
		XYZ	Finni	sh Oak
		XZ2	Fusio	on Maple
		XZZ	Waln	ut
		XZ1	Wild	Cherry
		Wood	grain	Grade 2
		XY2	Phanton	n Charcoal
		XY1	Phanton	n Ecru
		XY0	Phanton	n Pearl

## Glazing Options 1/4" thickness

Safety Glass	Grade 1

T2A 1/4" Clear Tempered Glass

<b>Back Painted Glass</b>	(Outserts Only)
Duck I dilitou diasc	(Outserts Offig)

M01 Black M02 Metallic Silver M00 White

## Safety Glass Grade 3

T2B 1/4" Clear Laminated T2D 1/4" Low Iron Tempered T2C 1/4" Tempered Frost

3form	Grade 5

T2F 1/4" Solo Aqua Supermatte Ecoresin

T2E 1/4" Solo Supermatte Ecoresin

T2G 1/4" Spider Ecoresin

## Volo Frameless Sliding Glass Doors and Panels

Volo Frameless Sliding Glass Doors are offered in 3 glazing color options and Frameless Panels are offered in 4 glazing color options. Clear is standard tempered glass that has a slight hint of color. Low Iron is color-free. Frost gives visual privacy, while allowing light transfer between spaces. Volo Frameless panels are available in both 1/2" and 3/8" thick while Frameless Sliding Glass Doors are 1/2" thick only. Volo Framed panels are 1/4" thick.

## Volo Glazing – 1/2" and 3/8" (Not available on Doors) thickness

E3B Clear
E3D Frost
E3C Low Iron
E3E Clear Laminated (Not available on Doors)

To see all finish options, go to Trendway.com

## **CROSS REFERENCE**

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	JOC	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Υ	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband
Casual Linen	J6B	E8
Classic Linen	J6A	E9
Crisp Linen	J69	EB
Earthen Twill	J9H	EG
Graphite Twill	J9J	EH
Sarum Twill	J9G	EE

Woodgrain Pattern Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Wood Veneer Volo	Panel Vinyl TrendWall
Beigewood	JOG	XZ8	W8	M4	
Brazilwood	JOD	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2	E5		
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XYO	E3		
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

<sup>\*\*</sup> Fellowes standard trim paint color



## **VOLO® MOVABLE WALLS**


Volo Movable Walls let the beauty and convenience of modular construction be effortlessly integrated into a variety of commercial applications. Volo offers a unique blend of segmented panel aesthetics with unitized panel construction. This allows designers and specifiers to create almost unlimited wall elevations, yet provides facility managers and installers the ease of fully-unitized, non-progressive functionality.

Panels are shipped complete. Base covers, floor plates and crown are shipped in 12' (3658) lengths except Aluminum Base at 9' length which may be field-trimmed for a clean, permanent appearance.

Electrical and communications cabling can be channeled through wireways located between panels and at the base of each panel. When Volo POWERPAC® Electrical is specified, Fellowes will plan and include the electrical components, along with any optional receptacle punchouts.

Volo Moveable Walls consist of five distinct elements:

- 1. VOLO FRAMES
  - Standard Panel Frame
  - Door Height Panel Frame
- 2. VOLO DOORS
  - Swing and Sliding Doors
    - Full Height
    - Partial Height
- 3. VOLO TILES
  - Glazed Center Mount Inserts
  - Inserts
  - Outserts
- 4. CONNECTORS
- 5. ELECTRICAL




### **VOLO FRAMES**

Volo frames consist of aluminum vertical (stile) and horizontal (rail) elements. They can be specified in widths from 6" to 48" for Standard Frames or 6" to 60" for Door Height Frames, in 1/8" increments. NOTE: All Glass Frames may be specified up to 60" wide if at least one muntin is included. Frames can accommodate ceiling heights between 88" and 120", in 1/2" increments. Frames can be specified with one of Fellowes' powder coat finishes or in a Satin Etch anodized finish. Volo frames are offered in a choice of styles and aesthetic options. All frame types can be specified with one of three base options: Aluminum Base, 4" and 6" Vinyl Base, and one of two distinct crown styles: Traditional or Reveal.

## **BASE OPTIONS**

The **Aluminum Base** is 1/8" thick and sits proud on the face of the panel frame. (Fig A)

## Fig A



The **4" Vinyl Base** sits proud of the panel's lower rail. This option most closely resembles traditional building cove base. (Fig B)

## Fig B



The **6" Vinyl Base** option is similar to the 4" base, but the taller profile can accommodate base modular power access. (Fig C)

## Fig C



### **CEILING CROWN OPTIONS**

The **Traditional Crown** is a capture style in which the Crown is outside of the upper horizontal rail. The Traditional Crown should be specified when using Volo in conjunction with TrendWall. (Fig D)

## Fig D



The **Reveal Crown** sits inside of the top horizontal rail, giving a simple, modern feel and diminished visibility of attachment elements. (Fig E)

## Fig E



### **FRAME TYPES**

## **Standard Panel Frames**

Standard Panel Frames may be segmented in any combination of tiles, up to 7 tiles per side. Different tile configurations can be specified for each side of a frame. Single-sided muntins are used to support tiles that do not have a corresponding tile on the opposite side. Frames have been designed to accept specific bases. Order the frame model that was created for the specific base desired.

Example: for a 4'x8' panel with Aluminum Base, order the Standard Panel Frame for Aluminum Base. Catalog number VFV252R48096.

## **Door Height Panel Frames**

Door Height Panel Frames come standard with one muntin rail preplaced at door height, which can be selected at 7'-0', 8'-0" or 9'-0". These frames are designed to work with Partial Height Door sections. Door Height Frames can be segmented below the door height, but not above.



## **Doors**

Door Units are available as either Sliding or Swing and in Full Height or Partial Height (partial height doors are offered at 7', 8' and 9'). Doors can be specified in Frameless Glass (full-height only), Aluminum Framed or Wood. Aluminum Framed Doors are available in four stile height/ rail width combinations:

• 2-2-2: 2" Vertical Stiles and 2" Horizontal Rails (Sliding Style only)



# **Fellowes**

 2-2-4: 2" Vertical Stiles and 2" Top Horizontal Rail paired with a 4" Bottom Horizontal Rail (Sliding Style only)



 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails



 4-4-10: 4" Vertical Stiles and 4" Top Horizontal Rail paired with a 10" Bottom Horizontal Rail (ADA compliant)



Wood Frame Doors are available in Flush and Full Lite Styles (8-4-10) and are available in both HPL and Veneer surface materials. The Full Lite door has 8" vertical stiles, 4" top horizontal rail and 10" bottom horizontal rail.



## **Sliding Door Hardware Options**

Aluminum and Wood Doors are available with several hardware options:

- BD Blank Door: The BD door must be machined/drilled on-site. No pulls.
- BDL Blank Door with Lock: The BDL (non SFIC), BDLICWOC – SFIC less core door must be machined/drilled on-site. No pulls. Lock included.
- 18" Post Pull: The 18" Post Pull is 12" centerline-to-centerline of mounting hardware (18" overall), and is available in Non-Locking (18N) and Locking (18L) (non SFIC), 18LICWOC – SFIC less core.
- 36" Post Pull: The 36" Post Pull is 22.5" centerline-to-centerline of mounting hardware (36" overall) and is available in Non-Locking (36N) and Locking (36L) (non SFIC), 36LICWOC – SFIC less core.
- 72" Ladder Pull: The 72" Ladder Pull is 72" overall and is available in Non-Locking (72N) and Locking (72L). The Locking 72L is not available on the 222 and 224 door.

An interchangeable core or "IC" is a compact keying mechanism in a specific "small format" figure-eight shape. Unlike a standard key cylinder, which is accessible for combining only via locking device disassembly, an interchangeable mechanism relies upon a specialized "Control" key for insertion and extraction of the essential (or "core") combining components.

Frameless Glass Sliding Door

Note: When ordering 18L and 36L the lock is separate from the pull and is accomplished by incorporating a Patch Lock. Finish on the Patch Lock cover is stainless steel effect (provided by the manufacturer). Finish provides a similar look to the brushed Satin Chrome 626 of the pulls and lock cylinder.

## Aluminum Framed and Wood Sliding Door

The 18" and 36" pulls feature a Schlage "C" keyway mortise lockset that latches into the Door Frame. The 72" Locking Ladder pull features a Dorma "C" keyway and throws a lock rod into a dustless floor grommet. This option does require floor machining at the job site by a certified installer.

### Swing Door Hardware Options

Aluminum and Wood framed swing doors are available with several hardware options:

- NH No Hardware: Allows for COM lever sets. Standard door prep identified on Volo Aluminum Framed Swing Door cut sheet or Volo Wood Door Cut Sheet.
- LP Lever Passage set is non-locking
- LL Lever Lock (non SFIC) set is random key locking
- LLICWOC SFIC less core

An interchangeable core or "IC" is a compact keying mechanism in a specific "small format" figure-eight shape. Unlike a standard key cylinder, which is accessible for combining only via locking device disassembly, an interchangeable mechanism relies upon a specialized "Control" key for insertion and extraction of the essential (or "core") combining components.

### **Volo Tiles:**

Volo Tiles are available in three styles:


- Center Mount Glazed
- Inserts
- Outserts

## **Center Mount Glazing Tiles**

- Provide transparency or translucence anywhere in the panel
- ¼" thick glazing material
- 5 standard glazing
  - o Clear Tempered
  - o Frost Tempered
  - o Low Iron Tempered
  - o Clear Laminate
  - o Ecoresin
- Widths: 6" 60" in ¹/s" increments for Door Height Frames NOTE: All Glass Frames may be specified up to 60" wide if at least one muntin is included.
- Lengths: 8" 114" in ½" increments (Eco Resin is available in a maximum width of 48" and a height of 74 ¼")

### **Insert Tiles**

- Recessed <sup>1</sup>/<sub>16</sub>" from face of frame and leave the entire aluminum frame exposed.
- Constructed from a low VOC MDF ½" material (except Tackable Tiles are cellulose fiber material)
- Available in several surface material choices:
  - o Vinyl
  - o HPL
  - o Tackable (Fabric)
  - o Veneer
- Widths: 6" 48" in 1/8" increments
- Heights: 8" 114" in 1/2" increments



# **Feljowes**.


### **Outsert Tiles**

- Sit ¼" proud of the frame, leaving ¼" reveal of the frame exposed.
- Constructed from a low VOC MDF <sup>3</sup>/<sub>4</sub>" material
- Upper and Lower Outserts must be specified depending on the location on the frame

Lower Outsert Tiles are required for the lowest tile position, where a tile installs on the base frame.

Lower Outsert Tiles must be specified for this position to allow the full range of height adjustment for the panel.

- Available in several surface material choices:
  - o HPL
  - o Veneer
  - o Back-Painted Glass Marker Boards
  - Metal-Backed-Painted Glass Marker Boards
- Widths: 6" 48" in 1/8" increments
- Heights: 8" 114" in 1/2" increments



### **Volo Horizontal Connectors**

Volo Horizontal Connectors are the horizontal framing elements of the system that connect the panels to the ceiling and floors. These elements are:

## **Ceiling Crown**

- · Traditional and Reveal
- Trim Colors: All Systems Paints and Satin Etch

### Floor Runner

- Aluminum Base panels come with the Floor Runner attached
- Ordered separately when specifying 4" and 6" Vinyl Base
- Trim Color: Available in all Systems Paints and Satin Etch.

## **Base Trim**

All bases are field cut. The Aluminum Base ships in 9' lengths. All three Vinyl Bases ship in 12' lengths.

- Aluminum Base is offered in all trim colors
- 4" Vinyl Base is offered in all smooth trim colors
- 6" Vinyl Base allows for base-way power access and is offered in all smooth trim colors

### Panel Extender

Allows the height of the panel to extend by 1" at the base or crown.

#### **Volo Vertical Connectors**

Volo Vertical Connectors are the elements that finish Volo panel runs, join them to existing building walls or join two or more Volo Panels. Typical conditions are:

#### **Wall Starts**

Wall Starts create a clean finished connection with an existing building wall

- Reveal
- Adjustable

#### **End of Run**

End of Runs are used to create a finished panel when it does not join another panel or abut an existing building element.

### In Line Connectors

In Line connectors include covers for electrical punch-outs or open duplex boxes to accommodate hardwire power.

- 2-Way Power Spacer
- 3-Way Power Spacer

## Volo Sample Panel Kit

Description	List Price	Catalog Number
Volo Sample Panel Kit	\$ 2150	VSPK

## **Monolithic Panels**

Frameless Glass Panels	12
Monolithic Framed Glass Panels	
Monolithic Framed Glass Panels for Aluminum Base	14
4" and 6" Vinyl Base	15-16

## Monolithic Framed Vinyl Panels

Monolithic Framed Vinyl Panels for	
Aluminum Base	17
4" and 6" Vinyl Base	18-19

 $\begin{tabular}{ll} \textbf{Note} : \textbf{Monolithic Framed Panels come complete with frame and inserts} & - \\ \textbf{Full Height Glass or Vinyl} \\ \end{tabular}$ 

Doors


## **Volo Frameless Wall**

A Frameless Wall must be specified and used as a kit of parts consisting of: Inserts and Framing Elements.

Inserts are either ½" or 3/8" tempered glass that can be specified to any width from 8" to 48" in 1/8" increments. Ceiling Height for 1/2" glass can be specified up to 10' and 3/8" glass can be specified up to 9" in 1/8" increments. They come standard in four distinct glazing color options: Clear, Low Iron, Frost or Clear Laminated.

## **Framing Elements**

The Vertical Adapter attaches to either drywall or a Volo Post or Door Section. When attaching to drywall, the optional foam tape shipped with the Vertical Adapter must be applied and used as a seal/light block on the building wall. 1/2" glass seals ship installed in the runners and vertical adapter to provide a secure fit for the inserts. When ordering 3/8" glass, you will need to order the additional seal model SIVSEAL38GLASS to change out in the field.




## Volo Frameless 1/2" Glass Inserts - Straight

Width	Ceiling Height	Clear (E3B)	Low Iron (E3C)	Frost (E3D)	Clear Laminated (E3E)	Catalog Number	Insert Dimensions Width	Insert Dimensions Height	Glass Type
12 (8"-12")	7'2"-8'	\$1288	\$1818	\$1583	\$1521	VFHG096	Specify	Specify	E3B
18 (12-1/8"-18")		1503	2300	1947	1793		Insert	Insert	Clear
24 (18-1/8"-24")		1719	2775	2312	2065		width	ceiling	E3C
30 (24-1/8"-30")		1929	3256	2670	2330		in 1/8"	height	Low Iron
36 (30-1/8"-36")		2144	3733	3034	2602		Increments	in 1/8"	E3D
42 (36-1/8"-42")		2355	4214	3399	2874			Increments	Frost
48 (42-1/8"-48")		2571	4696	3757	3139				E3E
12 (8"-12")	8'-1/8-9'	\$1378	\$1970	\$1710	\$1636	VFHG108	1		Clear
18 (12-1/8"-18")		1611	2506	2118	1939				Laminated
24 (18-1/8"-24")		1852	3044	2519	2234				
30 (24-1/8"-30")		2093	3581	2927	2538				
36 (30-1/8"-36")		2328	4118	3333	2840				
42 (36-1/8"-42")		2568	4655	3736	3143				
48 (42-1/8"-48")		2809	5193	4143	3440				
12 (8"-12")	9'-1/8-10'	\$1460	\$2126	\$1829	\$1749	VFHG120	1		
18 (12-1/8"-18")		1724	2718	2279	2082				
24 (18-1/8"-24")		1990	3311	2731	2410				
30 (24-1/8"-30")		2250	3910	3175	2743				
36 (30-1/8"-36")		2514	4502	3626	3077				
42 (36-1/8"-42")		2780	5103	4077	3410				
48 (42-1/8"-48")		3046	5695	4527	3744				

## Volo Frameless 3/8" Glass Inserts - Straight

Glass Insert

Width	Ceiling Height	Clear (E3B)	Low Iron (E3C)	Frost (E3D)	Clear Laminated (E3E)	Catalog Number	Insert Dimensions Width	Insert Dimensions Height	Glass Type
12 (8"-12")	7'2"-8'	\$ 1191	\$1529	\$1480	\$ 1350	VFTG096	Specify	Specify	E3B
18 (12-1/8"-18")		1375	1882	1807	1536		Insert	Insert	Clear
24 (18-1/8"-24")		1560	2233	2141	1721		width	ceiling	E3C
30 (24-1/8"-30")		1739	2585	2468	1912		in 1/8"	height	Low Iron
36 (30-1/8"-36")		1924	2937	2795	2097		Increments	in 1/8"	E3D
42 (36-1/8"-42")		2109	3290	3129	2282			Increments	Frost
48 (42-1/8"-48")		2295	3641	3455	2474				E3E
12 (8"-12")	8'-1/8-9'	\$ 1268	\$1643	\$1594	\$1440	VFTG108	1		Clear
18 (12-1/8"-18")		1470	2038	1959	1650				Laminated
24 (18-1/8"-24")		1674	2433	2329	1860				
30 (24-1/8"-30")		1884	2829	2699	2063				
36 (30-1/8"-36")		2087	3223	3070	2273				
42 (36-1/8"-42")		2292	3619	3434	2483				
48 (42-1/8"-48")		2502	4015	3804	2693				
	,	1			our complete umber here:				



Sample Part Number:

**Total Cost** \$1674 =

VFTG108 . 22.625		. 97.50	. E3B
\$1674 <b>•</b>	N/C	N/C	N/C



## **Framing Elements**

The Vertical Adapter attaches to either drywall or a Volo Post or Door Section. When attaching to drywall, the optional foam tape shipped with the Vertical Adapter must be applied and used as a seal/light block on the building wall. 1/2" glass seals ship installed in the runners and vertical adapter to provide a secure fit for the inserts. When ordering 3/8" glass, you will need to order the additional

seal model SIVSEAL38GLASS to change out in the field.



Ceiling Runner

Vertical Adapter






Floor Runner



Vertical Adapter with Foam Tape

## **Framing Elements**

Description	List Price	Catalog Number	Trim Color
Ceiling Runner - 144" (3658)	\$ 578	VFCR	Standard
2 Part Floor Runner - 144" (3658)	502	VFFR	Finish No Cost
Vertical Adapter - 120" (3048)	302	VFVA	Premium Finish \$40




Accommodates up to 3 glass-to-glass joints.

## **Frameless Joint Filler Tape**

Description	Length	List Price	Catalog Number
Joint Filler Tape for 1/2" Glass	39' Roll	\$ 335	JFT5






## Miscellaneous

Description	List Price	Catalog Number
Frameless Glass Hardware Kit (COM Glass)	\$ 109	VFGHK
Roll Seal to accommodate 3/8" Glass - 25' Roll	23	SIVSEAL38GLASS





Corner Splice Clip







## **Frameless Service Parts**

## **Splice Clips**

Description	List Price	Catalog Number
Inline Splice Clip	\$ 12	SIVFRSPLICE
Vertical Adapter Clip	14	SIVFFRSPLICE
Corner Splice Clip	16	SIVFCSPLICE

#### **Base Service Part**

Description	List Price	Catalog Number
Floor Runner Base	\$ 311	SIVFFRB
Floor Runner Cover	188	SIVFFRC

## Monolithic Glass Panel for Aluminum Base

A Monolithic Glass Panel includes the frame complete with center-mounted 1/4" monolithic Glazing Tile. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.


Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.

Aluminum Base offers +/-1" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the Aluminum Base, the floor runner comes pre-attached and carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).


## **Monolithic Glass Panel for Aluminum Base**



Dime Width	ensions Height	Gla 1	zing List Grade 3	Price 5	Catalog Number	Panel Width	Panel Height	Glazing Color	Trim Color
12" (305)	7'4" to 8'	\$ 1528	\$ 1813	\$ 2905	VMG252R12096	Specify	Specify	See	Standard
18" (457)	7'4" to 8'	1650	2003	3345	VMG252R18096	in ¹/8"	in ½"	Surface	Finishes
24" (610)	7'4" to 8'	1776	2195	3788	VMG252R24096	incre-	incre-	Materials	No Cost
30" (762)	7'4" to 8'	1898	2382	4228	VMG252R30096	ments	ments	Page 5	
36" (914)	7'4" to 8'	2024	2573	4670	VMG252R36096			Glazing	Premium
42" (1067)	7'4" to 8'	2145	2761	5111	VMG252R42096			Options	Finishes +\$40
48" (1219)	7'4" to 8'	2270	2953	5552	VMG252R48096			Thickness	<b>T</b> \$40
40!! (005)	011/11+- 01	0.4040	Ф.4000	<b>A</b> 0400	VMC050D40400				Anodized
12" (305)	8' 1/2" to 9' 8' 1/2" to 9'	\$ 1618 1748	\$ 1928	\$ 3103 3584	VMG252R12108 VMG252R18108				+\$80
18" (457) 24" (610)	8' 1/2" to 9'	1875	2130 2332	3584 4064	VMG252R18108				
30" (762)	8' <sup>1</sup> /2" to 9'	2007	2535	4545	VMG252R24108				
36" (762) 36" (914)	8' <sup>1</sup> /2" to 9'	2134	2735	5023	VMG252R30108				
42" (1067)	8' 1/2" to 9'	2255	2936	5502	VMG252R30108				
48" (1219)	8' <sup>1</sup> / <sub>2</sub> " to 9'	2373	3140	5983	VMG252R48108				
12" (305)	9' 1/2" to 10'	\$ 1694	\$ 2004	\$ 3179	VMG252R12120				
18" (457)	9' <sup>1</sup> / <sub>2</sub> " to 10'	1822	2204	3658	VMG252R18120				
24" (610)	9' <sup>1</sup> / <sub>2</sub> " to 10'	1952	2409	4141	VMG252R24120				
30" (762)	9' <sup>1</sup> / <sub>2</sub> " to 10'	2080	2608	4618	VMG252R30120				
36" (914)	9' 1/2" to 10'	2210	2811	5099	VMG252R36120				
42" (1067)		2330	3011	5577	VMG252R42120				
48" (1219)	9' 1/2" to 10'	2451	3218	6061	VMG252R48120				
			r comple						

Sample Part Number:

Total Cost \$1813 =



## Monolithic Glass Panel for 4" Vinyl Base

A Monolithic Glass Panel includes the frame complete with center-mounted ½" monolithic Glazing Tile. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.


Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.

4" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the 4" Vinyl Base, the floor runner and crown must be specified separately. Carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).


## Monolithic Glass Panel for 4" Vinyl Base



Dime Width	ensions Height	Gla 1	zing List Grade 3		Catalog Number	Panel Width	Panel Height	Glazing Color	Trim Color
12" (305)	7'4" to 8'	\$ 1528	\$ 1813	\$ 2905	VMG254R12096	Specify	Specify	See	Standard
18" (457)	74 to 8'	1650	2003	3345	VMG254R12096	in 1/8"	in ½"	Surface	Finishes
24" (610)	7'4" to 8'	1776	2195	3788	VMG254R16096	incre-	incre-	Materials	No Cost
30" (762)	7'4" to 8'	1898	2382	4228	VMG254R30096	ments	ments	Page 5	
36" (914)	7'4" to 8'	2024	2573	4670	VMG254R36096			Glazing	Premium
42" (1067)	7'4" to 8'	2145	2761	5111	VMG254R42096			Options	Finishes
48" (1219)	7'4" to 8'	2270	2953	5552	VMG254R48096			1/4"	<b>+\$</b> 40
	7 + 10 0	ZZIO	2000	0002	VIIIG2041140000			Thickness	
12" (305)	8' 1/2" to 9'	\$ 1618	\$ 1928	\$ 3103	VMG254R12108				Anodized +\$80
18" (457)	8' <sup>1</sup> / <sub>2</sub> " to 9'	1748	2130	3584	VMG254R18108				<b>T</b> \$00
24" (610)	8' <sup>1</sup> / <sub>2</sub> " to 9'	1875	2332	4064	VMG254R24108				
30" (762)	8' <sup>1</sup> / <sub>2</sub> " to 9'	2007	2535	4545	VMG254R30108				
36" (914)	8' 1/2" to 9'	2134	2735	5023	VMG254R36108				
42" (1067)	8' 1/2" to 9'	2255	2936	5502	VMG254R42108				
48" (1219)	8' 1/2" to 9'	2373	3140	5983	VMG254R48108				
12" (305)	9' <sup>1</sup> / <sub>2</sub> " to 10'	\$ 1694	\$ 2004	\$ 3179	VMG254R12120				
18" (457)	9' 1/2" to 10'	1822	2204	3658	VMG254R18120				
24" (610)	9' 1/2" to 10'	1952	2409	4141	VMG254R24120				
30" (762)	9' 1/2" to 10'	2080	2608	4618	VMG254R30120				
36" (914)	9' 1/2" to 10'	2210	2811	5099	VMG254R36120				
42" (1067)	9' 1/2" to 10'	2330	3011	5577	VMG254R42120				
48" (1219)	9' 1/2" to 10'	2450	3217	6060	VMG254R48120				
			r comple						_

Sample Part Number:

Total Cost \$1813 =



## Monolithic Glass Panel for 6" Vinyl Base

A Monolithic Glass Panel includes the frame complete with center-mounted ½" monolithic Glazing Tile. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.


Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.

6" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the 6" Vinyl Base, the floor runner and crown must be specified separately. Carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).


## Monolithic Glass Panel for 6" Vinyl Base



Dime Width	ensions Height	Gla 1	zing List Grade 3	Price 5	Catalog Number	Panel Width	Panel Height	Glazing Color	Trim Color
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)  12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)  12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	7'4" to 8' 8' 1/2" to 9' 8' 1/2" to 10' 9' 1/2" to 10'	\$ 1528 1650 1776 1898 2024 2145 2270 \$ 1618 1748 1875 2007 2134 2255 2373 \$ 1694 1822 1952 2080 2210 2330 2450	\$ 1813 2003 2195 2382 2573 2761 2953 \$ 1928 2130 2332 2535 2735 2936 3140 \$ 2004 2204 2409 2608 2811 3011 3217	\$ 2905 3345 3788 4228 4670 5111 5552 \$3103 3584 4064 4545 5023 5502 5983 \$3179 3658 4141 4618 5099 5577 6060	VMG256R12096 VMG256R18096 VMG256R24096 VMG256R30096 VMG256R36096 VMG256R42096 VMG256R42096 VMG256R12108 VMG256R12108 VMG256R24108 VMG256R30108 VMG256R30108 VMG256R36108 VMG256R42108 VMG256R42108 VMG256R42120 VMG256R18120 VMG256R30120 VMG256R30120 VMG256R36120 VMG256R42120 VMG256R48120 VMG256R48120	Specify in 1/e" increments	Specify in ½" increments	See Surface Materials Page 5 Glazing Options 1/4" Thickness	Standard Finishes No Cost Premium Finishes +\$40 Anodized +\$80
			r comple						

Sample Part Number:

**Total Cost** \$1813 =



## Monolithic Vinyl Panel for Aluminum Base

A Monolithic Vinyl Panel includes the frame complete with a monolithic Vinyl Insert Tile on both sides. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.

Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.


Aluminum Base offers +/-1" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the Aluminum Base, the floor runner comes pre-attached and carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).

## Monolithic Vinyl Panel for Aluminum Base

Dim Width	ensions Height	List Price	Catalog Number	Panel Width	Panel Height	Surface Color	Trim Color
12" (305)	7'4" to 8'	\$ 1769	VMINV252R12096	Specify	Specify	See	Standard
18" (457)	7'4" to 8'	1979	VMINV252R18096	in 1/8"	in ½"	Surface	Finishes No
24" (610)	7'4" to 8'	2189	VMINV252R24096	incre-	incre-	Materials	Cost
30" (762)	7'4" to 8'	2400	VMINV252R30096	ments	ments	Page 4	D
36" (914)	7'4" to 8'	2612	VMINV252R36096				Premium Finishes
42" (1067)	7'4" to 8'	2822	VMINV252R42096				+\$40
48" (1219)	7'4" to 8'	3033	VMINV252R48096				<b>+</b> 940
12" (305)	8' 1/2" to 9'	\$ 1904	VMINV252R12108				Anodized +\$80
18" (457)	8' 1/2" to 9'	2160	VMINV252R18108				1400
24" (610)	8' 1/2" to 9'	2416	VMINV252R24108				
30" (762)	8' 1/2" to 9'	2674	VMINV252R30108				
36" (914)	8' 1/2" to 9'	2929	VMINV252R36108				
42" (1067)	8' 1/2" to 9'	3185	VMINV252R42108				
48" (1219)	8' 1/2" to 9'	3440	VMINV252R48108				
12" (305)	9' 1/2" to 10'	\$ 1980	VMINV252R12120				
18" (457)	9' 1/2" to 10'	2235	VMINV252R18120				
24" (610)	9' <sup>1</sup> / <sub>2</sub> " to 10'	2493	VMINV252R24120				
30" (762)	9' 1/2" to 10'	2748	VMINV252R30120				
36" (914)	9' 1/2" to 10'	3004	VMINV252R36120				
42" (1067)	9' 1/2" to 10'	3260	VMINV252R42120				
48" (1219)	9' 1/2" to 10'	3516	VMINV252R48120				
	Build you Part Numl	r complete ber here:					_



**Total Cost** \$1769 =





## Monolithic Vinyl Panel for 4" Vinyl Base

A Monolithic Vinyl Panel includes the frame complete with a monolithic Vinyl Insert Tile on both sides. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.


Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.

4" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the 4" Vinyl Base, the floor runner and crown must be specified separately. Carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).


## Monolithic Vinyl Panel for 4" Vinyl Base





Sample Part Number:

Total Cost \$1769 =



## Monolithic Vinyl Panel for 6" Vinyl Base

A Monolithic Vinyl Panel includes the frame complete with a monolithic Vinyl Insert Tile on both sides. Base and Crown are specified separately. There is a specific Monolithic Panel designed for each base style. Order the Panel model designated for your desired base style.


Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Panels can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Panel widths are specified using a nominal dimension that is center-of-panel-clip to center-of-panel-clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel dimensions are slightly less. Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9'5-1/2" is

specified as 113.5". Actual panels will be slightly shorter.


6" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3-1/2". When specifying the 6" Vinyl Base, the floor runner and crown must be specified separately. Carpet teeth are supplied. Carpet Teeth are designed to grab the carpet for added stability. For hard floor installations, substitute double sided tape (tape purchased separately).

## Monolithic Vinyl Panel for 6" Vinyl Base





**Total Cost** \$1769 =



	Feljowes.
Surface Materials	
Space Planning	
Monolithic Panels	
Panel Frames	
Doors	
Tiles	
Connectors	
Electrical	
Terms & Policies	
•	

## Standard Panel Frames

Aluminum Base	22
4" and 6" Vinyl Base	23-24

## **Door Height Panel Frames**

Aluminum Base	<u>25</u>
4" and 6" Vinyl Base	<i>26-27</i>

## Standard Panel Frames for Aluminum

Frames have been designed to accept specific bases. Order the same model that was created to accept the specific base desired.

Volo frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Frames can be ordered in heights ranging from 7' 4" to 10' in ½" increments and widths ranging from 6" to 48" in ½" increments. Frames can accept virtually any combination of tiles, starting at the minimum 8" high tile up to the maximum 114" high tile for a monolithic look at the maximum 120" ceiling height.

Panel Width: Frames are specified using a nominal frame dimension that is center-of-panel clip to center-of-panel clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel frame dimensions are slightly less.

Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in ½" increments. Example: 9' 5 ½" is specified as 113.5". Actual frames will be slightly shorter.

The Aluminum Base offers +/-1" of adjustment. The Reveal Crown (specified separately) offers +1" and -½". Combined they allow for a total adjustment of 3½".

When specifying the Aluminum Base, the floor runner comes pre-attached and carpet teeth will be supplied. Carpet Teeth are designed to grab the carpet so that the panel doesn't move. For hard floor installations, use double sided tape instead (tape purchased separately).

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.


Note: Optional horizontal cross rail shown dependent upon tile size selection.

## **Standard Panel Frame for Aluminum Base**

Dime Width	nsions Height	List Price	Catalog Number	Panel Width	Panel Height	Trim Color
12" (305)	7' 4" to 8'	\$ 1316	VFV252R12096	Specify	Specify	Standard
18" (457)	7' 4" to 8'	1391	VFV252R18096	in 1/8"	in ½"	Finishes
24" (610)	7' 4" to 8'	1467	VFV252R24096	Increments	Increments	No Cost
30" (762)	7' 4" to 8'	1541	VFV252R30096			Premium
36" (914)	7' 4" to 8'	1618	VFV252R36096			Finishes
42" (1067)	7' 4" to 8'	1691	VFV252R42096			<b>+\$</b> 40
48" (1219)	7' 4" to 8'	1767	VFV252R48096			Anodized +\$80
12" (305)	8' 1/2" to 9'	\$ 1391	VFV252R12108			
18" (457)	8' 1/2" to 9'	1467	VFV252R18108			
24" (610)	8' 1/2" to 9'	1541	VFV252R24108			
30" (762)	8' 1/2" to 9'	1618	VFV252R30108			
36" (914)	8' 1/2" to 9'	1691	VFV252R36108			
42" (1067)	8' 1/2" to 9'	1767	VFV252R42108			
48" (1219)	8' 1/2" to 9'	1842	VFV252R48108			
12" (305)	9' 1/2" to 10'	\$ 1467	VFV252R12120			
18" (457)	9' 1/2" to 10'	1541	VFV252R18120			
24" (610)	9' ½" to 10'	1618	VFV252R24120			
30" (762)	9' ½" to 10'	1691	VFV252R30120			
36" (914)	9' ½" to 10'	1767	VFV252R36120			
42" (1067)	9' ½" to 10'	1842	VFV252R42120			
48" (1219)	9' ½" to 10'	1919	VFV252R48120			
	Build your Part Number					

Sample Part Number:

Total Cost \$1316 =



## Standard Panel Frames for 4" Vinyl **Base**

Frames have been designed to accept specific crown and base configurations. Order the frame model that was created to accept the base desired.

Volo Standard Panel Frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Frames can be ordered in heights ranging from 7'4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments. Frames can accept virtually any combination of tiles, starting at the minimum 8" high tile up to the maximum

114" high tile for a monolithic look at the maximum 120" ceiling height.


Panel Width: Frames are specified using a nominal frame dimension that is centerof-panel clip to center-of-panel clip. Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel frame dimensions are slightly less.

Ceiling height is specified using the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 9' 5-1/2" is specified The 4" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3".

Note: Floor Runner and Reveal Crown must be specified separately.

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.

## Standard Panel Frame for 4" Vinyl Base



Note: Optional horizontal cross rail shown dependent upon tile size selection.

Dime Width	ensions Height	List Price	Catalog Number	Panel Width	Panel Height	Trim Color
12" (305)	7' 4" to 8'	\$ 1316	VFV254R12096	Specify	Specify	Standard
18" (457)	7' 4" to 8'	1391	VFV254R18096	in 1/8"	in ½"	Finishes
24" (610)	7' 4" to 8'	1467	VFV254R24096	Increments	Increments	No Cost
30" (762)	7' 4" to 8'	1541	VFV254R30096			Premium
36" (914)	7' 4" to 8'	1618	VFV254R36096			Finishes
42" (1067)	7' 4" to 8'	1691	VFV254R42096			<b>+\$</b> 40
48" (1219)	7' 4" to 8'	1767	VFV254R48096			Anodized +\$80
12" (305)	8' 1/2" to 9'	\$ 1391	VFV254R12108			
18" (457)	8' 1/2" to 9'	1467	VFV254R18108			
24" (610)	8' 1/2" to 9'	1541	VFV254R24108			
30" (762)	8' 1/2" to 9'	1618	VFV254R30108			
36" (914)	8' 1/2" to 9'	1691	VFV254R36108			
42" (1067)	8' ½" to 9'	1767	VFV254R42108			
48" (1219)	8' ½" to 9'	1842	VFV254R48108			
12" (305)	9' ½" to 10'	\$ 1467	VFV254R12120			
18" (457)	9' ½" to 10'	1541	VFV254R18120			
24" (610)	9' ½" to 10'	1618	VFV254R24120			
30" (762)	9' ½" to 10'	1691	VFV254R30120			
36" (914)	9' 1/2" to 10'	1767	VFV254R36120			
42" (1067)	9' 1/2" to 10'	1842	VFV254R42120			
48" (1219)	9' ½" to 10'	1919	VFV254R48120			
	Build your					
	Part Number	er here:				

Sample Part Number:	VFV254R12096	.11.375	.88.5 	.TL 	
Total Cost \$1316 =	\$1316 <b>-</b>	N/C	N/C	N/C	-

Doors

### Standard Panel Frames for 6" Vinyl Base

Frames have been designed to accept specific crown and base configurations. Order the frame model that was created to accept the exact base and crown combination desired.

Volo Standard Panel Frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Frames can be ordered in heights ranging from 7' 4" to 10' in 1/2" increments and widths ranging from 6" to 48" in 1/8" increments.

Standard Panel Frames can accept virtually any combination of tiles, starting at the minimum 8" high tile up to the maximum 112" high tile for a monolithic look at the maximum 120" ceiling height.

The 6" Vinyl Base offers +1" and -1/2" of adjustment. The Reveal Crown offers +1" and -1/2". Combined they allow for a total adjustment of 3".

Panel Width: Frames are specified using a nominal frame dimension that is centerof-panel clip to center-of-panel clip.

Specify the actual panel frame width in inches, using a decimal to represent fractions in <sup>1</sup>/<sub>8</sub>" increments. Example: 3'6-3/8" is specified as 42.375".

Specify the actual ceiling height in inches, using a decimal to represent fractions in 1/2" increments. Example: 7'6-34" is specified as 90.5". Actual frames will be slightly shorter.

Note: Floor Runner and Reveal Crown must be specified separately.

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.

Note: Optional horizontal cross rail shown dependent upon tile size selection.

# Standard Panel Frame for 6" Vinyl Base

Dime Width	nsions Height	List Price	Catalog Number	Panel Width	Panel Height	Trim Color
12" (305)	7' 4" to 8'	\$ 1316	VFV256R12096	Specify	Specify	Standard
18" (457)	7' 4" to 8'	1391	VFV256R18096	in 1/8"	in ½"	Finishes
24" (610)	7' 4" to 8'	1467	VFV256R24096	Increments	Increments	No Cost
30" (762)	7' 4" to 8'	1541	VFV256R30096			Premium
36" (914)	7' 4" to 8'	1618	VFV256R36096			Finishes
42" (1067)	7' 4" to 8'	1691	VFV256R42096			<b>+\$</b> 40
48" (1219)	7' 4" to 8'	1767	VFV256R48096			
						Anodized
12" (305)	8' ½" to 9'	\$ 1391	VFV256R12108			<b>+\$</b> 80
18" (457)	8' ½" to 9'	1467	VFV256R18108			
24" (610)	8' 1/2" to 9'	1541	VFV256R24108			
30" (762)	8' 1/2" to 9'	1618	VFV256R30108			
36" (914)	8' 1/2" to 9'	1691	VFV256R36108			
42" (1067)	8' 1/2" to 9'	1767	VFV256R42108			
48" (1219)	8' 1/2" to 9'	1842	VFV256R48108			
12" (305)	9' 1/2" to 10'	\$ 1467	VFV256R12120			
18" (457)	9' 1/2" to 10'	1541	VFV256R18120			
24" (610)	9' ½" to 10'	1618	VFV256R24120			
30" (762)	9' ½" to 10'	1691	VFV256R30120			
36" (914)	9' ½" to 10'	1767	VFV256R36120			
42" (1067)	9' ½" to 10'	1842	VFV256R42120			
48" (1219)	9' 1/2" to 10'	1919	VFV256R48120			
, ,						
	Build your	complete				

Sample Part Number:	VFV256R12096	.11.375	.88.5 	.TL	
Total Cost \$1316 =	\$1316 <b>-</b>	N/C	N/C	N/C	

Part Number here:

Door Height frames come with one horizontal cross rail pre-placed at the selected door height. Door Height frames can be segmented below the door height, but not above. These panels are designed to be placed adjacent to Partial Height Door Frames for consistent top tile dimensioning.

The Aluminum Base offers + or-1" of adjustment. The Reveal Crown offers +1" or -½". Combined they allow for a total vertical adjustment of 3½".

Specify the actual ceiling height in inches, using a decimal to represent fractions in ½" increments. Example: 8'6½" is specified as 102.5". Actual frames will be slightly shorter.


Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel frame dimensions are slightly less

When specifying the Aluminum Base, the floor runner comes pre-attached and carpet teeth will be supplied. Carpet Teeth are designed to grab the carpet so that the panel doesn't move. For hard floor installations, use double sided tape instead (tape purchased separately).

Note: Reveal Crown must be specified separately.

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.


## **Door Height Panel Frame for Aluminum Base**



Dimensions List Width Height Price			Catalog Number	Panel Width	Panel Height	Door Height	Trim Color
12" (305)	8'	\$ 1316	VFD252R12096	Specify	Specify	7H	Standard
18" (457)	8'	1391	VFD252R18096	in 1/8"	in ½"	7'-0"	Finishes
24" (610)	8'	1467	VFD252R24096	Increments	Increments	8H	No Cost
30" (762)	8'	1541	VFD252R30096			8'-0"	Premium
36" (914)	8'	1618	VFD252R36096				Finishes
42" (1067)	8'	1691	VFD252R42096			<b>9H</b> 9'-0"	<b>+\$</b> 40
48" (1219)	8'	1767	VFD252R48096			9-0	Anodized
54" (1372)	8'	1842	VFD252R54096				+\$80
60" (1524)	8'	1919	VFD252R60096				
12" (305)	8' ½" to 9'	\$ 1391	VFD252R12108				
18" (457)	8' 1/2" to 9'	1467	VFD252R18108				
24" (610)	8' 1/2" to 9'	1541	VFD252R24108				
30" (762)	8' 1/2" to 9'	1618	VFD252R30108				
36" (914)	8' 1/2" to 9'	1691	VFD252R36108				
42" (1067)	8' 1/2" to 9'	1767	VFD252R42108				
48" (1219)	8' 1/2" to 9'	1842	VFD252R48108				
54" (1372)	8' 1/2" to 9'	1919	VFD252R54108				
60" (1524)	8' 1/2" to 9'	1994	VFD252R60108				
12" (305)	9' ½" to 10'	\$ 1467	VFD252R12120				
18" (457)	9' ½" to 10'	1541	VFD252R18120				
24" (610)	9' ½" to 10'	1618	VFD252R24120				
30" (762)	9' ½" to 10'	1691	VFD252R30120				
36" (914)	9' ½" to 10'	1767	VFD252R36120				
42" (1067)	9' ½" to 10'	1842	VFD252R42120				
48" (1219)	9' ½" to 10'	1919	VFD252R48120				
54" (1372)	9' ½" to 10'	1994	VFD252R54120				
60" (1524)	9' ½" to 10'	2070	VFD252R60120				
Build your complete Part Number here:							

Sample
Part Number: VFD252R12096

**Total Cost** \$1316 =



### **Door Height Panel Frame for 4" Vinyl Base**

Door Height Panel Frames are constructed of aluminum vertical (stile) and horizontal (rail) elements. Frames can be ordered in heights ranging from 8' to 10' in 1/2" increments and widths ranging from 6" to 60" in 1/8" increments.

Door Height Panel Frames come with one horizontal cross rail pre-placed at the selected door height. Door Height Panel Frames can only be segmented below the door height, but not above. These panels are designed to be placed adjacent to Partial Height Door Frames for consistent top tile dimensioning.

The 4" Vinyl Base offers +1 or-1/2" of adjustment. The Reveal Crown offers +1" or -1/2". Combined they allow for a total adjustment of 3".

Note: Floor Runner and Reveal Ceiling Crown must be specified separately.


Specify the actual ceiling height in inches, using a decimal to represent fractions in ½" increments. Example: 8'6-34" is specified as 102.5". Round down to the nearest 1/2" increment to allow for height adjustability.

Actual frames will be slightly shorter.

Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3'6-3/8" is specified as 42.375". Actual panel frame dimensions are slightly less.

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.

## Door Height Panel Frame for 4" Vinyl Base



Pre-Placed Door Height Rail	
Č	

Sample Part Number:	VFD254R12096	.11.375	.96 	.7H 	.TL	
<b>Total Cost</b> \$1316 =	\$1316 <b>-</b>	N/C	N/C	N/C	N/C	

**Build your complete** Part Number here:

Door Height Panel Frames come with one horizontal muntin rail pre-placed at the selected door height. Door Height Panel frames can be segmented below the door height, but not above. These panels are designed to be placed

adjacent to Partial Height Door Frames for consistent top tile dimensioning.

The 6" Vinyl Base offers +1 or -1/2" of adjustment. The Reveal Crown offers +1 or -1/2". Combined they allow for a total adjustment of 3".

Specify the actual ceiling height in inches, using a decimal to represent fractions in ½" increments. Example: 8'61/2" is specified as 102.5". Actual frames will be slightly shorter.

Specify the actual panel width in inches, using a decimal to represent fractions in 1/8" increments. Example: 3' 6 1/8" is specified as 42.375". Actual panel frame dimensions are slightly

Note: Floor Runner and Reveal Crown must be specified separately.

Note: These are Frames only. To complete the desired panel, tiles must be specified separately.

Connectors

Terms & Policies

## Door Height Panel Frame for 6" Vinyl Base

Dime Width	Dimensions List Width Height Price		Catalog Number	Panel Width	Panel Height	Door Height	Trim Color
12" (305)	8'	\$1316	VFD256R12096	Specify	Specify	7H	Standard
18" (457)	8'	1391	VFD256R18096	in 1/8"	in ½"	7'-0"	Finishes
24" (610)	8'	1467	VFD256R24096	increments	Increments	8H	No Cost
30" (762)	8'	1541	VFD256R30096			8'-0"	Premiun
36" (914)	8'	1618	VFD256R36096				Finishes
42" (1067)	8'	1691	VFD256R42096			<b>9H</b> 9'-0"	<b>+\$</b> 40
48" (1219)	8'	1767	VFD256R48096			9-0	Anodize
54" (1372)	8'	1842	VFD256R54096				+\$80
60" (1524)	8'	1919	VFD256R60096				
12" (305)	8' ½" to 9'	\$1391	VFD256R12108				
18" (457)	8' 1/2" to 9'	1467	VFD256R18108				
24" (610)	8' 1/2" to 9'	1541	VFD256R24108				
30" (762)	8' 1/2" to 9'	1618	VFD256R30108				
36" (914)	8' 1/2" to 9'	1691	VFD256R36108				
42" (1067)	8' 1/2" to 9'	1767	VFD256R42108				
48" (1219)	8' 1/2" to 9'	1842	VFD256R48108				
54" (1372)	8' 1/2" to 9'	1919	VFD256R54108				
60" (1524)	8' ½" to 9'	1994	VFD256R60108				
12" (305)	9' ½" to 10'	\$1467	VFD256R12120				
18" (457)	9' 1/2" to 10'	1541	VFD256R18120				
24" (610)	9' ½" to 10'	1618	VFD256R24120				
30" (762)	9' ½" to 10'	1691	VFD256R30120				
36" (914)	9' ½" to 10'	1767	VFD256R36120				
42" (1067)	9' ½" to 10'	1842	VFD256R42120				
48" (1219)	9' ½" to 10'	1919	VFD256R48120				
54" (1372)	9' ½" to 10'	1994	VFD256R54120				
60" (1524)	9' ½" to 10'	2070	VFD256R60120				
	Build your						

Sample



Pre-Placed Door Height Rail

	reljowes.
Surface Materials	
Space Planning	
Monolithic Panels	
Panel Frames	
Doors	
Tiles	
Connectors	
Electrical	
Terms & Policies	

# **Volo Sliding Doors**

Frameless Glass Sliding Door Section - Full Height	30
Aluminum Framed Sliding Door Section - Full & Partial Height	31
Wood Sliding Door Section - Full & Partial Height	34
Sliding Door Outsert Kit	37
Volo Swing Doors	
Swing Door Frame – Full & Partial Height	38
Aluminum Framed Swing Door - Full & Partial Height	40
Wood Swing Door - Full & Partial Height	42

## Frameless Glass Sliding Door Section – Full Height

Frameless Glass Sliding Doors are ½" thick and available at Full Height Only. 42" width is available up to 9'. 48" width available at 8' height ONLY. Doors are specified as either Right or Left opening as viewed from the exterior of the space.

Frameless Glass Sliding Doors are available with the same three glazing options offered for panel frames. All tempered - Clear, Frost or Low Iron.

### **Hardware Options:**

Frameless Glass Doors are available with three pull options - both locking and non-locking versions of each. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.

- 18N 18" Post Pull non locking
- 18L\* 18" Post Pull locking
- 36N 36" Post Pull non locking
- 36L\* 36" Post Pull locking
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

\*Note: When ordering 18L & 36L the lock is separate from the pull and is accomplished by incorporating a Patch Lock.

Note: Finish on the Patch Lock cover is stainless steel effect (provided by the manufacturer). Finish provides a similar look to the Satin Chrome 626 finish of the pulls and lock cylinder.

#### Soft Close Mechanism:

Frameless glass sliding door design supports soft close capability and is required.

Door Size	Actual Door Width	Clear Opening
42" x 8'	40 3/4"	34"
42" x 9'	40 3/4"	34"
48" x 8'	46 3/4"	40"

### Fellowes Patch Lock - SFIC Point of View Statement

The Fellowes Patch Lock has a European Cylinder, Schlage C-5 pin, Keyed Differently / Random Key. The European Core is not available with SFIC or any type of interchangeable core. Alternate keyway options are very limited, and are all COM.

If the client requires a different core, the most efficient and cost effective way to do so is to swap out the supplied core in the field with a COM core. You may also contact your local locksmith to rekey.

Note: Switching a core requires the removal of 3 screws. The Euro Cylinder and Keys cost about \$40 COM. The current Supplier Model is Hafele PN 916.19.11. The unit has a 2.56" cylinder length.

#### Frameless Glass Sliding Door Section – Full Height Base Soft End Close **Dimensions** Low Catalog Base Cap Mecha-Door Glazing Trim Width Height Clear Frost Iron Number Height Type Color nism Hardware Color Color Right-Hand 1 SC 18N E3B No Specify Specify Cost in 1/2" 4" Vinyl only if +\$619 +\$673 Clear 42" (1067) 7' 4" to 8' \$9243 \$9884 \$10096 VDSLFG42096R Soft Close ΔII 4" or 6" increments 42" (1067) 81/2' to 9' 9516 10241 10471 VDSLFG42108R 18L vinyl base Only E3D Ceilina Includes 6" Vinyl 48" (1219) 7' 4" to 8' \$9530 \$10267 \$10505 VDSLFG48096R selected. Frost Heights: Patch Lock 7' 4" to 8' E3C AL<sub>2</sub> Standard Left-Hand +\$3735 Alumi-Finishes Low Iron 81/21 to 91 42" (1067) 7' 4" to 8' \$9243 \$9884 \$10096 VDSLFG42096L num only. 36N 42" (1067) 8½' to 9' 10241 10471 VDSLFG42108L 91/2' to 10' Base +\$807 48" (1219) 7' 4" to 8' \$9530 \$10267 \$10505 VDSLFG48096L 36L Includes Patch Lock +\$3871 72N **+\$**1926 721 +\$4494 **Build your complete** Part Number here: Left-Hand Slide Right-Hand Slide Optional 18" Post Pull Panel (18N) Shown Side 2 Panel Side 2 Door Door Outside Side 1 Outside Side Sample VDSLFG42096R .84 .AL2 N/A .2SC .36N .E3D .G Part Number: Total Cost \$11310 = \$9884 N/C N/A \$619 \$807 N/C N/C N/C

Aluminum Framed Doors are offered in three stile/rail combinations:

- 2-2-2: 2" Vertical Stiles and 2" Horizontal Rails
- 2-2-4: 2" Vertical Stiles and 2" Top Horizontal Rail paired with a 4" Bottom Horizontal Rail
- 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails

Aluminum Framed Doors are available with the same glazing options offered for panel frames.

### **Hardware Options:**

Aluminum Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.

BD and BDL – Blank Door: Allows for COM pulls or lookeats. Doors

COM pulls or locksets. Doors must be drilled/machined onsite. BDL includes lock (non SFIC).

- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core
- 36N 36" Post Pull non locking

- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Door Size	Actual Door Width	Clear Opening for 2-2-2 and 2-2-4	Clear Opening for 4-4-4
42" x 8'	40 5/8"	34 5/8"	34"
42" x 9'	40 5/8"	34 5/8"	34"
42" x 10'	40 5/8"	34 5/8"	34"
48" x 8'	40 5/8"	40 3/4"	40"
48" x 9'	40 5/8"	40 3/4"	40"
48" x 10'	40 <sup>5</sup> / <sub>8</sub> "	40 3/4"	40"

## Aluminum Framed Sliding Door Section – Full Height

Dimer Width	nsions Height	List Price	Catalog Number	Height	Base Type	Base End Cap Color	Door Type	Door Color	Soft Close Mecha- nism	Hard- ware	Glazing Option	Glazing Color	Trim Color
Right-Hand 42" (1067) 48" (1219) 42" (1067) 48" (1219) 42" (1067) 48" (1219) Left-Hand 42" (1067) 48" (1219) 42" (1067) 48" (1219) 42" (1067) 48" (1219)	7' 4" to 8' 7' 4" to 8' 8' ½" to 9' 8' ½" to 10' 9' ½" to 10' 9' ½" to 10'  Slide 7' 4" to 8' 7' 4" to 8' 8' ½" to 9' 8' ½" to 9' 9' ½" to 10'	5217 5060 5533 5377 5850 \$4743 5217 5060 5533 5377	VDSLFA42096R VDSLFA42108R VDSLFA42120R VDSLFA42120R VDSLFA48120R  VDSLFA48096L VDSLFA48096L VDSLFA48108L VDSLFA42108L VDSLFA42120L VDSLFA48120L	Specify in ½" increments	4 4" Vinyl 6 6" Vinyl AL2 Alumi- num Base	Specify only if 4" or 6" vinyl base selected.  Standard Finishes only.	No Cost 224 +\$132 444 +\$267	No Cost Standard Finishes Premium Finishes Anodized	SCN No Cost No Soft Close SCY +\$619 Soft Close	BD No Cost Blank Door BDL +\$538 (non SFIC) BDLICWOC +\$444 18N +\$673 18L +\$1213 18LICWOC +\$1118 36N +\$807 36L +\$1348 36LICWOC +\$1253 72N* +\$1926 72L* +\$4494 (*Only available on the 444)	G1 No Cost G2 +\$1078 G3 +\$2155 G4 +\$3236 G5 +\$4313 G6 +\$5393		Standard Finishes No Cost Premium Finishes +\$40 Anodized +\$80
	your comp lumber her												

Optional 18" Post Pull with lock (18L) Shown

Right-Hand Slide


Side 2 Panel
Outside Side 1

Panel Side 2 Door
Outside Side 1

Left-Hand Slide

Sample Part Number:

**Total Cost** \$8111 =



**Electrical** 

## Aluminum Framed Sliding Door Section – Partial Height

Aluminum Framed Doors are offered in three stile/rail combinations:

- 2-2-2: 2" Vertical Stiles and 2" Horizontal Rails
- 2-2-4: 2" Vertical Stiles and 2" Top Horizontal Rail paired with a 4" Bottom Horizontal Rail
- 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails

Aluminum Framed Doors are available with the same glazing options offered for panel frames.

Note: The ceiling height must be greater than the partial height door by at least 12". If this is not the case, then Full Height Door section must be specified.

The Height of the Partial Door is specified as either 7' (84"), 8' (96") or 9' (108").

### **Hardware Options:**

Aluminum Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.

- BD and BDL Blank Door:
   Allows for COM pulls or locksets.
   Doors must be drilled/machined on-site. BDL includes lock (non SEIC)
- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core


• 36N - 36" Post Pull non locking

- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Door Size	Actual Door Width	Clear Opening for 2-2-2 and 2-2-4	Clear Opening for 4-4-4
42" x 8'	40 5/8"	34 5/8"	34"
42" x 9'	40 5/8"	34 5/8"	34"
42" x 10'	40 5/8"	34 5/8"	34"
48" x 8'	40 5/8"	40 3/4"	40"
48" × 9'	40 5/8"	40 3/4"	40"
48" x 10'	40 5/8"	40 3/4"	40"

## Aluminum Framed Sliding Door Section – Partial Height

Dimensions Width Height	List Price	Catalog Number	Section Height	Base Type	Base End Cap Color	Door Height	Door Type	Door Color	Soft Close Mecha- nism	Hardware	Glazing Option	Glazing Color	Trim Color
48" (1219) 8' 42" (1067) 8' ½" to 9' 48" (1219) 8' ½" to 9' 42" (1067) 9' ½" to 10' 48" (1219) 9' ½" to 10'  Left-Hand Slide	4743 4743 4900 4900 5060 \$4585 4743 4743 4900 4900	VDSLPA42096R VDSLPA48096R VDSLPA42108R VDSLPA42120R VDSLPA42120R VDSLPA42096L VDSLPA48096L VDSLPA42108L VDSLPA42108L VDSLPA42120L VDSLPA48120L	incre- ments	4 4" Vinyl 6 6" Vinyl AL2 Alumi- num Base	Specify only if 4" or 6" vinyl base selected. Standard Finishes only.	7 Feet  8H 8 Feet +\$267  9H 9 Feet	222 No Cost 224 +\$132 444 +\$267	No Cost Standard Finishes Premium Finishes Anodized	SCN No Cost No Soft Close SCY +\$619 Soft Close	BD No Cost Blank Door BDL +\$538 (non SFIC) BDLICWOC +\$444 18N +\$673 18L +\$1213 18LICWOC +\$1118 36N +\$807 36L +\$1348 36LICWOC +\$1253 72N* +\$1926 72L* +\$4494 (*Only available on the 4444)	G1 No Cost G2 +\$1078 G3 +\$2155 G4 +\$3236 G5 +\$4313 G6 +\$5393	See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes +\$40 Anodized +\$80
Build your compl Part Number here				_	_			_		———			



Aluminum Framed Double Doors are offered in three stile/rail combinations:

- 2-2-2: 2" Vertical Stiles and 2" Horizontal Rails
- 2-2-4: 2" Vertical Stiles and 2" Top Horizontal Rail paired with a 4" Bottom Horizontal Rail
- 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails

Aluminum Framed Double Doors are available with the same glazing options offered for panel frames.

### **Hardware Options:**

Aluminum Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.


- BD and BDL Blank Door: Allows for COM pulls or locksets. Doors must be drilled/machined on-site. BDL includes lock (non SFIC).
- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core

- 36N 36" Post Pull non locking
- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Double Door Size	Actual Door Width	Opening for 2-2-2 and 2-2-4	Clear Opening for 4-4-4
78" W x Ceiling Height less 3"	39"	67"	65 1/2"

## Aluminum Framed Double Sliding Door Section – Full Height

Dimensions Width Height	List Price	Catalog Number	Height	Base Type	Base End Cap Color	Door Type	Door Color	Soft Close Mecha- nism	Hard- ware	Hard- ware Color	Glazing Option	Glazing Color	Trim Color
Right-Hand Slide 78" (1981) 7' 4" to 8' 78" (1981) 8' ½" to 9' 78" (1981) 9' ½" to 10	9106	VDDSLFA78096 VDDSLFA78108 VDDSLFA78120	Specify in ½" increments	4 4" Vinyl 6 6" Vinyl AL2 Alumi- num Base	Specify only if 4" or 6" vinyl base selected. Standard Finishes only.	No Cost 224 +\$267 444 +\$537	No Cost Standard Finishes Premium Finishes Anodized	SCN No Cost No Soft Close SCY +\$1239 Soft Close (Quantity 2)	BD No Cost Blank Door BDL +\$1078 (non SFIC) BDLICWOC +\$890 18N +\$1348 18L +\$2426 18LICWOC +\$2239 36N +\$1617 36L +\$2696 36LICWOC +\$2509 72N* +\$3704 72L* +\$8644 ("Only available on the 444)	Satin Chrome MBLK Black Note: Oiled Bronze Mortise Lock, Ring & Standard core SFIC - less Core for Mortise	1		Standard Finishes No Cost Premium Finishes +\$40 Anodized +\$80
Build your comp Part Number he													



Sample Part Number:
Total Cost \$15278 :

,	VDDSLFA78096	.84 	.4 	.G 	.222 	.G 	.SCN	.18L 	.BSS	.G3	.T2C	.TL
	\$8539	N/C	N/C	N/C	N/C	N/C	N/C	\$2426	N/C	\$4313	N/C	N/C

## Wood Sliding Doors Section - Full Height

Wood Doors are offered in two styles, Flush or Full Lite and can be specified in either HPL or Veneer.

Full Lite Doors are available with the same glazing options offered for panel frames.

### **Hardware Options:**

Wood Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.

- BD and BDL Blank Door:
   Allows for COM pulls or locksets. Doors must be drilled/machined on-site. BDL includes lock (non SFIC).
- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core
- 36N 36" Post Pull non locking

- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Door Size	Actual Door Width	Clear Opening
42" x 8'	40 5/8"	34"
42" x 9'	40 5/8"	34"
42" × 10'	40 5/8"	34"
48" x 8'	46 5/8"	40"
48" x 9'	46 5/8"	40"
48" × 10'	46 <sup>5</sup> / <sub>8</sub> "	40"


## Wood Sliding Door Section - Full Height

Dimensions Width Height	List Price	Catalog Number	Section Height	Base Type	Base End Cap Color	Door Type	Surface Color	Door Edge Color	Soft Close Mecha- nism	Hard- ware	Glazing Option	Glazing Color	Trim Color
Right-Hand Slide 42" (1067) 7' 4" to 8' 48" (1219) 7' 4" to 8' 42" (1067) 8' ½" to 9' 48" (1219) 8' ½" to 9' 42" (1067) 9' ½" to 10' 48" (1219) 9' ½" to 10'	6245	VDSLFW42096R VDSLFW48096R VDSLFW42108R VDSLFW48108R VDSLFW42120R VDSLFW48120R	incre- ments	4 4" Vinyl 6 6" Vinyl AL2 Alumi- num	Specify only if 4" or 6" vinyl base selected. Stan- dard	FD No Cost Flush Door FL +\$807	HPL Grade 1 No Cost Grade 2 +\$267 Grade 3	Specify only if HPL surface color is selected No Cost	SCN No Cost No Soft Close SCY +\$619 Soft Close	BD No Cost Blank Door BDL +\$538 (non SFIC) BDLIC- WOC	type selected		Standard Finishes No Cost Premium Finishes +\$40
Left-Hand Slide 42" (1067) 7' 4" to 8' 48" (1219) 7' 4" to 8' 42" (1067) 8' ½" to 9' 48" (1219) 8' ½" to 9' 42" (1067) 9' ½" to 10' 48" (1219) 9' ½" to 10'	6245 6086 6560	VDSLFW42096L VDSLFW48096L VDSLFW42108L VDSLFW48108L VDSLFW42120L VDSLFW48120L		Base	Finishes only.	Full Lite	+\$538 Veneer +\$2021	Note: Color also applies to glass retainer strip		+\$444 18N +\$673 18L +\$1213 18LICWOC +\$1118 36N +\$807 36L +\$1348	G2 +\$1078 G3 +\$2155 G4 +\$3236 G5 +\$4313		+\$80
Build your compl Part Number here					_					36LICWOC +\$1253 72N* +\$1926 72L* +\$4494	<b>G6</b> +\$5393	_	





Total Cost \$6927 =



Volo Partial Height Doors are designed to work with Volo Partial Height Door Frames. Wood Doors are available in two styles, Flush or Full Lite and can be specified in either HPL or Veneer.

Wood Full Lite Doors are available with the same glazing options offered for panel frames.

Note: The ceiling height must be greater than a Partial Height Door by at least 12". If this is not the case, a Full Height Door should be specified.

The Height of the Partial Door is specified as either 7' (84"), 8' (96") or 9' (108").

## **Hardware Options:**

Wood Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.

- BD and BDL Blank Door:
   Allows for COM pulls or locksets.
   Doors must be drilled/machined onsite. BDL includes lock (non SFIC).
- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core

- 36N 36" Post Pull non locking
- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Door Size	Actual Door Width	Clear Opening
42" x 8'	40 5/8"	35"
42" x 9'	40 5/8"	35"
48" x 8'	46 5/8"	41"
48" x 9'	46 5/8"	41"

## Wood Sliding Door Section - Partial Height

Dimensions Width Height  Right-Hand Slide 42" (1067) 8' ½" to 9' 48" (1219) 8' ½" to 9' 48" (1219) 8' ½" to 10' 48" (1219) 9' ½" to 10'  Left-Hand Slide 42" (1067) 8' ½" to 9' 48" (1219) 8' ½" to 10' 48" (1219) 8' ½" to 10' 48" (1219) 8' ½" to 10' 48" (1219) 9' ½" to 10'	\$5769 5929 6086 6086 6245 \$5769 5929 6086 6086 6245	Catalog Number  VDSLPW42096R VDSLPW48096R VDSLPW42108R VDSLPW48108R VDSLPW48120R  VDSLPW48096L VDSLPW48096L VDSLPW42108L VDSLPW48108L VDSLPW48120L VDSLPW48120L	Section Height Specify in ½" incre- ments	Base Type 4 4" Vinyl 6 6" Vinyl AL2 Alumi- num Base	Base End Cap Color Specify only if 4" or 6" vinyl base selected. Standard Finishes only.	<b>9H</b> 9 Feet		Surface Color HPL Grade 1 No Cost Grade 2 +\$267 Grade 3 +\$538 Veneer +\$2021	Door Edge Color Specify only if HPL surface color is selected No Cost Note: Color also applies to glass retainer strip	Soft Close Mechanism SCN No Cost No Soft Close SCY +\$619 Soft Close	ware BD	Option Specify only if FL door type selected G1 No Cost G2 +\$1078 G3 +\$2155 G4 +\$3236 G5 +\$4313 G6	See Surface Materials Page 5	Trim Color Standard Finishes No Cost Premium Finishes +\$40 Anod- ized +\$80
Build your comp														
Part Number here:  Flush Door  Optional 18" Post Pull with lock (18L) Shown  Optional 36" Post Pull with lock (36L) Shown  Panel Side 2  Door  D										Door Side 1				
Sample Part Number:		VDSLPW42096R	.90.5	.2	N/A	.7H	.FD	.573	.L 	.SCN	.36L	N/A	N/A	.L 
Total Cost \$711	7 =	\$5769	N/C	N/C	N/A	N/C	N/C	N/C	N/C	N/C	\$1348	N/A	N/A	► N/C

Connectors

**Electrical** 

Terms & Policies

# Wood Double Sliding Door Section – Full Height

Wood Framed Double Doors are offered in two styles - Flush and Full Lite and can be specified in either HPL or veneer.

Full Lite Double Doors are available with the same glazing options offered for panel frames.

#### **Hardware Options:**

Wood Doors are available with several Hardware options. All door pulls are either brushed Satin Chrome 626 (BSS) or Black (MBLK) finish.


- BD and BDL Blank Door: Allows for COM pulls or locksets. Doors must be drilled/machined on-site. BDL includes lock (non SFIC).
- BDLICWOC Blank Door Locking SFIC less core
- 18N 18" Post Pull non locking
- 18L 18" Post Pull locking (non SFIC)
- 18LICWOC 18" Post Pull Locking SFIC less core
- 36N 36" Post Pull non locking

- 36L 36" Post Pull locking (non SFIC)
- 36LICWOC 36" Post Pull Locking SFIC less core
- 72N 72" Ladder Pull non locking
- 72L 72" SFIC locking ladder pull, no core (locks into floor)

Double	Actual Door	Clear
Door Size	Width	Opening
78" W x Ceiling Height less 3"	39"	65 1/2"

# Wood Double Sliding Door Section - Full Height

Width         Height         Prinches           Right-Hand         Slide           78" (1981)         7' 4" to 8'         \$100           78" (1981)         8' ½" to 9'         108	List Catalog Number  10385 VDDSLFW78096 VDDSLFW78108 VDDSLFW78120	in ½" incre- ments	Type 4 4" Vinyl 6	only if 4" or	No Cost		Door Edge Color		Color No Cost		Color	Trim Color Stan-
78" (1981) 7' 4" to 8' \$100 78" (1981) 8' ½" to 9' 109	10956 <b>VDDSLFW78108</b>	in ½" incre- ments	4" Vinyl 6	only if 4" or	No Cost					Specify	See	Stan-
			6" Vinyl  AL2  Alumi-  num  Base	6" vinyl base selected. Stan- dard Finishes only.	Flush Door FL +\$1617 Full Lite	No Cost Grade 2 +\$537 Grade 3	Surface Color selected	No Cost Blank Door BDL +\$1078 (non SFIC) BDLICWOC +\$890 18N +\$1348 18L +\$2426 18LICWOC +\$2239 36N +\$1617 36L +\$2696 36LICWOC +\$2509 72N* +\$3704 72L* +\$8644 (*Only available on the 444)	Satin Chrome	type	Materials Page 5	dard
Build your complete Part Number here:								 				





	VDDSLFW78096	.88 	.4 	L 	.FD	<b>573</b>	.SCN	L 	.18L	.BSS	N/A 	N/A 	.TL
. [	\$10385	N/C	N/C	N/C	N/C	N/C	N/C	N/C	\$ 2426	N/C	N/A	N/A	N/C

Description	List Price	Catalog Number	Trim Color
Sliding Door Outsert Kit	\$ 236	SIVSDOUTKIT	Standard Finish No Cost Premium Finish + \$N/C Anodized + \$N/C
	Build your complete Part Number here:		

Pla Si

- M

onolithic Panels

Panel Frames

Doors

Tiles

Connectors

**Electrical** 

Terms & Policies

Sample Part Number:

Total Cost \$236 =




Swing Door Frames: Full Height

Volo Full Height Swing Door Frames are constructed of aluminum vertical (stile) and horizontal (rail) elements and are designed to work with either the Traditional or Reveal Ceiling Crown, but can only accept Full Height Swing Doors (specified separately).

Volo Swing Door Frames are available in all three base styles: Aluminum Base, 4" and 6" Vinyl base. Remember to specify the base style that matches the adjacent panels.


Frames can be ordered in heights ranging from 7'4" to 10' in ½" increments.

Swing Door Frames offer up to 2" of total height adjustment.



Specify the actual ceiling height in inches, using a decimal to represent fractions in one half inch increments. Example: 7'61/2" is specified as 90.5".

Note: These are Door Frames only. Swing Doors must be specified separately. The Actual Width of the Swing Door Frame is 39".



#### Swing Door Frame for Aluminum Base - Full Height **Dimensions** List Catalog Frame Trim Width Height Price Number Color Height **Right-Hand Swing** Standard Specify in 1/2" **Finishes** 39" (991) VDFPFHH239096R 7' 4" to 8' \$1896 Increments No Cost 39" (991) 8' 1/2" to 9' 2055 VDFPFHH239108R VDFPFHH239120R 39" (991) 9' 1/2" to 10' 2211 Premium **Finishes Left-Hand Swing +\$**40 VDFPFHH239096L 39" (991) 7' 4" to 8' \$1896 39" (991) 8' 1/2" to 9' 2055 VDFPFHH239108L **Anodized** +\$80 VDFPFHH239120L 39" (991) 9' 1/2" to 10' 2211 Swing Door Frame for 4" Vinyl Base - Full Height Catalog Dimensions List **Base End** Cap Color Width Height Price Number Right-Hand Swing Standard 39" (991) 7' 4" to 8' \$1896 VDFPFHH439096R Smooth 39" (991) 8' 1/2" to 9' 2055 VDFPFHH439108R Finish 39" (991) 9' 1/2" to 10' 2211 VDFPFHH439120R No Cost Left-Hand Swing 39" (991) 7' 4" to 8' \$1896 VDFPFHH439096L 39" (991) 8' 1/2" to 9' VDFPFHH439108L 2055 39" (991) 9' 1/2" to 10' 2211 VDFPFHH439120L Swing Door Frame for 6" Vinyl Base - Full Height **Dimensions** Catalog List Width Number Height Price Right-Hand Swing 39" (991) VDFPFHH639096R 7' 4" to 8' \$1896 39" (991) 8' 1/2" to 9' VDFPFHH639108R 2055 VDFPFHH639120R 39" (991) 9' 1/2" to 10' 2211 Left-Hand Swing 39" (991) 7' 4" to 8' \$1896 VDFPFHH639096L 39" (991) 8' 1/2" to 9' 2055 VDFPFHH639108L VDFPFHH639120L 39" (991) 9' 1/2" to 10' 2211 **Build your complete** Part Number here: Sample

Base End Cap Color

Standard Smooth Finish No Cost

Swing Door Frames: Partial Height

Volo Partial Height Swing Door Frames are constructed of aluminum vertical (stile) and horizontal (rail) elements and are designed to work with either the Traditional or Reveal Ceiling Crown, but can only accept Partial Height Swing Doors (specified separately).


Partial Height Swing Door Frames are available in all three base styles: Aluminum Base, 4" and 6" Vinyl Base. Remember to specify the base style that matches the adjacent panels.

Frames can be ordered in heights ranging from 7'10" to 10' in ½" increments.

Note: The ceiling height must be greater than the partial height door by at least 12". If this is not the case, then Full Height Door section must be specified.

Specify the actual ceiling height in inches, using a decimal to represent fractions in one half inch increments. Example 7'10½" is specified as 94.5".

Swing Door Frames offer up to 2" of total height adjustment.



Note: These are Door Frames only. Partial Height Swing Doors and Tiles must be specified separately. The Actual Width of the Swing Door Frame is 39".

Swing Door Frame for Aluminum Base – Partial Height



Dime Width	ensions Height	List Price	Catalog Number	Frame Height	Door Height	Trim Color
Right-Hand 39" (991) 39" (991) 39" (991)	8' 8' ½" to 9' 9' ½" to 10'	\$2055 2211 2371	VDFPPHH239096R VDFPPHH239108R VDFPPHH239120R	Specify in ½" Increments	<b>7H</b> 7'-0" <b>8H</b> 8'-0"	Standard Finishes No Cost Premium
Left-Hand 39" (991) 39" (991) 39" (991)	8' 8'½" to 9' 9'½" to 10'	\$2055 2211 2371	VDFPPHH239096L VDFPPHH239108L VDFPPHH239120L		<b>9H</b> 9'-0"	+\$40 Anodized +\$80

# Swing Door Frame for 4" Vinyl Base – Partial Height


Dime Width	ensions Height	List Price	Catalog Number
Right-Hand	l Swing		
39" (991)	8'	\$2055	VDFPPHH439096R
39" (991)	8' ½" to 9'	2211	VDFPPHH439108R
39" (991)	9' ½" to 10'	2371	VDFPPHH439120R
Left-Hand	Swing		
39" (991)	8'	\$2055	VDFPPHH439096L
39" (991)	8' ½" to 9'	2211	VDFPPHH439108L
39" (991)	9' ½" to 10'	2371	VDFPPHH439120L

# Swing Door Frame for 6" Vinyl Base – Partial Height

Dime Width	ensions Height	List Price	Catalog Number			
Right-Hand	d Swing				1	
39" (991)	8'	\$2055	VDFPPHH639096R			
39" (991)	8' ½" to 9'	2211	VDFPPHH639108R			
39" (991)	9' 1/2" to 10'	2371	VDFPPHH639120R			
Left-Hand	Swing			İ		
39" (991)	8'	\$2055	VDFPPHH639096L			
39" (991)	8' ½" to 9'	2211	VDFPPHH639108L	l		
39" (991)	9' ½" to 10'	2371	VDFPPHH639120L			
	Build your Part Number					
	. a.t Hullib	C			 	

Sample Part Number:

Total Cost \$2055 =



4-4-4 Shown

#### Aluminum Framed Swing Door - Full Height

Aluminum Framed Doors are offered in two stile/rail combinations:

- 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails
- 4-4-10: 4" Vertical Stiles Top Rails and 10" Horizontal Rails

Aluminum Framed Doors are handed and need to be specified as either Right or Left opening as viewed from the exterior of the space.

Aluminum Framed Doors are available with the same glazing options offered for panel frames.

Full Height Doors MUST match the NOMINAL Height of the corresponding Full Height Door Frame. Example: a Full Height Door Frame that has a ceiling height of 7'61/2" = 90.5" would require a Full Height Swing Door = 90.5" high.

#### **Hardware Options:**

All door levers are a brushed chrome finish.


- NH No Hardware: Allows for COM lever sets. Standard door prep identified on Volo Aluminum Framed Swing Door cut sheet.
- LP Lever Passage set non-locking

- LL Lever Lock set random key locking (non SFIC)
- LLICWOC Lever Lock set SFIC less core

Door Size	Actual Door Width	Clear Opening
36" x 8'	353/4"	33"
36" × 9'	353/4"	33"
36" x 10'	353/4"	33"


### **Aluminum Framed Swing Door - Full Height**

Dii Width	mensions Height	List Price	Catalog Number	Height	Door Type	Door Hard- ware	Key Set	Glazing Option	Glazing Color	Trim Color
36" (914) 36" (914) 36" (914)	8' ½" to 9' 9' ½" to 10'  nd Swing 7' 4" to 8' 8' ½" to 9'	\$1659 1817 1975 \$1659 1817 1975	VDUAFHH39096R VDUAFHH39108R VDUAFHH39120R VDUAFHH39096L VDUAFHH39108L VDUAFHH39120L	Specify in ½" increments	444 +\$267 4410 +\$384 (ADA) Compliant)	NH No Cost  LP +\$228 Lever Passage  LL +\$471 Lever Lockset (non SFIC)  LLICWOC +\$449 Lever Lockset (SFIC)	Cost Random	G1 No Cost G2 +\$1078 G3 +\$2155 G4 +\$3236 G5 +\$4313 G6 +\$5393	See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes +\$40 Anodized +\$80
	Build your com Part Number h	•								_



Sample Part Number:

Total Cost \$4309 =



Aluminum Framed Doors are offered in two stile/rail combinations:

- 4-4-4: 4" Vertical Stiles and 4" Horizontal Rails
- 4-4-10: 4" Vertical Stiles Top Rail and 10" Horizontal Rails

Aluminum Framed Doors are handed and need to be specified as either Right or Left opening as viewed from the exterior of the space.

Aluminum Framed Doors are available with the same glazing options offered for panel frames.

Note: The ceiling height must be greater than the partial height door by at least 12". If this is not the case, then Full Height Door Frame and Door must be specified.

The Height of the Partial Door is specified as either 7' (84"), 8' (96") or 9' (108").

#### **Hardware Options:**


All door levers are a brushed chrome finish.

- NH No Hardware: Allows for COM lever sets. Standard door prep identified on Volo Aluminum Framed Swing Door cut sheet.
- LP Lever Passage set non-locking
- LL Lever Lock set random key locking (non SFIC)
- LLICWOC Lever Lock set SFIC less core

Door Size	Actual Door Width	Clear Opening
36" x 7'	353/4"	33"
36" × 8'	353/4"	33"
36" × 9'	353/4"	33"

# Aluminum Framed Swing Door – Partial Height

Dimen: Width	sions Height	List Price	Catalog Number	Height	Door Type	Door Hardware	Key Set	Glazing Option	Glazing Color	Trim Color	
Right-Hand 9 36" (914) 36" (914) 36" (914)	<b>Swing</b> 7' 8' 9'	\$ 1501 1659 1817	VDUAPHH39084R VDUAPHH39096R VDUAPHH39108R	Specify in ½" incre- ments	444 +\$267 4410 +\$384(ADA Compliant)	Lever	RK No Cost Random	G1 No Cost G2 +\$1078	See Surface Materials Page 5	Standard Finishes No Cost Premium Finishes +\$40	
Left-Hand St 36" (914) 36" (914) 36" (914)	•	\$ 1501 1659 1817	VDUAPHH39084L VDUAPHH39096L VDUAPHH39108L			Passage  LL +\$471 Lever Lockset (non SFIC)  LLICWOC +\$449 Lever Lockset (SFIC)		G3 +\$2155 G4 +\$3236 G5 +\$4313 G6 +\$5393		Anodized +\$80	
	ld your co t Number I									_	



Sample Part Number:

Total Cost \$4151 =

VDUAPHH39084R	. <b>84</b> 	.444	.LP	.RK 	.G3	.T2C	.TL 
\$1501 <b>-</b>	N/C	\$267	\$228	N/C	\$2155	N/C	■ N/C

4-4-4 Shown

#### Wood Swing Doors - Full Height

Wood Doors are offered in two styles, Flush or Full Lite and can be specified in either HPL or Veneer. Doors are handed and need to be specified as either Right or Left opening as viewed from the exterior of the space.

Full Lite Doors are available with the same glazing options offered for panel frames.

On an HPL door, the trim color applies to the glass retainer strip and door edge.

Full Height Doors MUST match the NOMINAL height of the corresponding Full Height Door Frame. Example: a Full Height Door Frame that has a ceiling height of 7'6½" = 90.5" would require a Full Height Swing Door = 90.5".

#### **Hardware Options:**

All door levers are a brushed chrome finish.


- NH No Hardware: Allows for COM lever sets. Standard door prep identified on Volo Aluminum Framed Swing Door cut sheet.
- LP Lever Passage set non-locking
- LL Lever Lock set random key locking (non SFIC)

• LLICWOC – Lever Lock set SFIC less core

Door Size	Actual Door Width	Clear Opening
36" x 7'	353/4"	33"
36" x 8'	353/4"	33"
36" x 9'	353/4"	33"
36" x 10'	353/4"	33"

# **Wood Swing Door - Full Height**

	9 = 00										
Dime Width	nsions Height	List Price	Catalog Number	Height	Door Type	Surface Color	Door Hardware	Key Set	Glazing Option	Glazing Color	Trim Color
Right-Hand 36" (914) 36" (914) 36" (914) Left-Hand S 36" (914) 36" (914)	Swing  7' 4" to 8' 8' ½" to 9' 9' ½" to 10'	\$2845 3002 3153 \$2845 3002	VDUWFHH39096R VDUWFHH39108R VDUWFHH39120R VDUWFHH39096L VDUWFHH39108L	Specify in ½" incre- ments	FD No Cost Flush Door  FL +\$807 Full Lite	HPL Grade 1 No Cost Grade 2 +\$267 Grade 3 +\$538	NH No Cost LP +\$228 Lever Passage LL +\$471	RK No Cost Random	Specify only if FL door type selected G1 No Cost	See Surface Materials Page 5	Specify only if HPL surface color is selected Standard Smooth Finishes No Cost
36" (914)	9' ½" to 10'	3153	VDUWFHH39120L			Veneer +\$2021	Lever Lockset (non SFIC) LLICWOC +\$449 Lever Lockset (SFIC)		+\$1078  G3 +\$2155  G4 +\$3236  G5 +\$4313  G6 +\$5393		
	uild your con ort Number h									_	_



# Fellowes.

#### **Wood Swing Door - Partial Height**

Wood Doors are available in two styles, Flush or Full Lite and can be specified in either HPL or Veneer. Partial Height Doors are handed and need to be specified as either Right or Left opening as viewed from the exterior of the space.

Wood Full Lite Doors are available with the same glazing options offered for panel frames.

On an HPL door, the trim color applies to the glass retainer strip and door edge.

Note: The ceiling height must be greater than a Partial Height Door by at least 12". If this is not the case, a Full Height Door should be specified.

The Height of the Partial Door is specified as either 7' (84"), 8' (96") or 9' (108").

#### **Hardware Options:**

All door levers are a brushed chrome finish.


 NH - No Hardware: Allows for COM lever sets. Standard door prep identified on Volo Wood Swing Door cut sheet.

- LP Lever Passage set non-locking
- LL Lever Lock set random key locking (non SFIC)
- LLICWOC Lever Lock set SFIC less core

Door Size	Actual Door Width	Clear Opening
36" x 7'	353/4"	33"
36" x 8'	35³/₄"	33"
36" x 9'	353/4"	33"

### **Wood Swing Door - Partial Height**

Dimen Width	sions Height	List Price	Catalog Number	Door Type	Surface Color	Door Hardware	Key Set	Glazing Option	Glazing Color	Trim Color
Right-Hand S 36" (914) 36" (914) 46" (914) Left-Hand S 36" (914) 36" (914) 36" (914)	7' 8' 9'	\$2685 2845 3002 \$2685 2845 3002	VDUWPHH39084R VDUWPHH39096R VDUWPHH39108R VDUWPHH39084L VDUWPHH39096L VDUWPHH39108L	FD No Cost Flush Door FL +\$807 Full Lite	HPL Grade 1 No Cost Grade 2 +\$267 Grade 3 +\$538 Veneer +\$2021	NH No Cost  LP +\$228 Lever Passage  LL +\$471 Lever Lockset (non SFIC)  LLICWOC +\$449 Lever Lockset (SFIC)	RK No Cost Random	Specify only if FL door type selected  G1 No Cost  G2 +\$1078  G3 +\$2155  G4 +\$3236  G5 +\$4313  G6 +\$5393	See Surface Materials Page 5	Specify only if HPL sur- face color is selected Standard Smooth Finishes No Cost
Build your of Part Number		1							_	_



	Feljowes.
Surface Materials	
Space Planning	
Monolithic Panels	
Panel Frames	
Doors	
Tiles	
Connectors	
Electrical	
Terms & Policies	

# Volo Tiles

Center Mount Glazed Tile	46
Insert Tile	
insert the	
Vinyl Insert Tile	49
Laminate Insert Tile	<i>52</i>
Veneer Insert Tile	<i>55</i>
Tackable Insert Tile	58
Outsert Tile	
Laminate Outsert Tile	60
Veneer Outsert Tile	64
Glass Marker Board Outsert Tile	68


**Electrical** 

#### **Center Mount Glazing Tiles**

Center Mount Glazing Tiles provide transparency or translucency for a Volo panel. Glazing tiles are Class A fire rated when specified with tempered glass.

Center Mount Glazing Tiles are available in widths up to 60" and in heights up to 114".


Note: 48 1/8" to 60" Center Mount Glazing Tiles are only available in heights up to 96".





Sample Part Number:

Total Cost \$79 =





Center Mount Glazing Tile



60" (1524)

12" (305)

18" (457)

24" (610)

30" (762)

36" (914)

42" (1067)

48" (1219)

54" (1372)

60" (1524)

80"

96"

96"

96"

96"

96"

96"

96"

96"

96"

468

\$ 212

259

309

357

406

454

503

569

613

911

\$370

456

540

626

712

797

882

993

1082

1216

\$ 497

612

728

841

955

1070

1186

1327

1444

1548

\$ 634

780

928

1074

1219

1365

1513

1687

1835

#### **Dimensions** Catalog Glazing Glazing Grade Width 2 5 6 Width Height 1 Color Height 3 4 Number 12" (305) 64" \$ 167 \$ 289 \$ 385 \$ 489 \$ 1213 \$1773 VTFG2512064 Specify Specify See 18" (457) 64" 204 353 470 597 1483 2169 VTFG2518064 in 1/8" in 1/2" Surface Materials increincre-24" (610) 64" 242 416 557 706 1754 2565 VTFG2524064 ments ments Page 5 30" (762) 64" 280 482 643 817 2026 2965 VTFG2530064 36" (914) 64" 317 545 729 927 2297 3361 VTFG2536064 42" (1067) 64" 357 612 816 1038 2570 3760 VTFG2542064 48" (1219) 64" 394 676 903 1145 2840 4157 VTFG2548064 54" (1372) 64" 432 742 989 1256 3112 4554 VTFG2554064 60" (1524) 64" 469 805 1076 1365 3384 4953 VTFG2560064 12" (305) 80" \$ 179 \$314 \$ 422 \$ 538 \$1348 \$1977 VTFG2512080 18" (457) 80" 219 385 519 662 1656 2428 VTFG2518080 2881 VTFG2524080 24" (610) 80" 260 457 614 783 1964 30" (762) 80" 301 528 711 907 2272 3332 VTFG2530080 80" 36" (914) 330 600 807 1031 2580 3785 VTFG2536080 42" (1067) 80" 360 673 904 1154 2889 4237 VTFG2542080 VTFG2548080 48" (1219) 80" 389 744 1001 1278 3196 4688 54" (1372) 80" 438 837 1117 1423 3525 5162 VTFG2554080

3835

\$1589

1954

2322

2687

3052

3418

3785

4177

4546

Build your complete Part Number here:

5615 \$2329

2866

3403

3940

4478

5015

5551

6116

6653

VTFG2560080

VTFG2512096

VTFG2518096

VTFG2524096

VTFG2530096

VTFG2536096

VTFG2542096

VTFG2548096


VTFG2554096

VTFG2560096

**List Price** 

Sample	
Part Number:	

Total Cost \$167 =



**Center Mount Glazing Tiles** continued




#### **Center Mount Glazing Tile List Price** Glazing **Dimensions Glazing Grade** Catalog Width Width 2 5 6 Height Height 1 Number Color 3 12" (305) 114" \$ 227 \$399 \$ 537 \$ 683 \$1712 \$2513 VTFG2512114 Specify Specify See 18" (457) 114" 281 494 663 846 2117 3107 VTFG2518114 in 1/8" in 1/2" Surface Materials increincre-24" (610) 114" 334 588 790 1007 2522 3699 VTFG2524114 ments ments Page 5 30" (762) 114" 389 681 916 1169 2927 4294 VTFG2530114 36" (914) 114" 443 777 1044 1332 3332 4886 VTFG2536114 42" (1067) 114" 488 870 1169 1493 3735 5479 VTFG2542114 48" (1219) 114" 531 967 1298 1656 4141 6075 VTFG2548114

Build your complete Part Number here:

Sample Part Number:

Total Cost \$227 =



Denotes Wood Grain Direction

# **Vinyl Insert Tile**

Dime Width	nsions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 70	VTFINV12016	Specify	Specify	See
18" (457)	16"	112	VTFINV18016	in 1/8"	in ½"	Surface
24" (610)	16"	155	VTFINV24016	incre-	incre-	Materials
30" (762)	16"	197	VTFINV30016	ments	ments	Page 4
36" (914)	16"	239	VTFINV36016			
42" (1067)	16"	281	VTFINV42016			
48" (1219)	16"	326	VTFINV48016			
12" (305)	32"	\$ 99	VTFINV12032			
18" (457)	32"	155	VTFINV18032			
24" (610)	32"	212	VTFINV24032			
30" (762)	32"	267	VTFINV30032			
36" (914)	32"	326	VTFINV36032			
42" (1067)	32"	382	VTFINV42032			
48" (1219)	32"	438	VTFINV48032			
12" (305)	48"	\$ 127	VTFINV12048			
18" (457)	48"	182	VTFINV18048			
24" (610)	48"	239	VTFINV24048			
30" (762)	48"	297	VTFINV30048			
36" (914)	48"	354	VTFINV36048			
42" (1067)	48"	409	VTFINV42048			
48" (1219)	48"	466	VTFINV48048			
		our complete				

Sample Part Number:

Total Cost \$70 =

VTFINV12016	.11.375	.15.5	.AS4
\$70	N/C	N/C	N/C

**Vinyl Insert Tile** continued






# **Vinyl Insert Tile**

Dime Width	nsions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 155	VTFINV12064	Specify	Specify	See
18" (457)	64"	219	VTFINV18064	in 1/8"	in ½"	Surface
24" (610)	64"	281	VTFINV24064	incre-	incre-	Materials
30" (762)	64"	345	VTFINV30064	ments	ments	Page 4
36" (914)	64"	409	VTFINV36064			
42" (1067)	64"	472	VTFINV42064			
48" (1219)	64"	537	VTFINV48064			
12" (305)	80"	\$ 175	VTFINV12080			
18" (457)	80"	234	VTFINV18080			
24" (610)	80"	295	VTFINV24080			
30" (762)	80"	355	VTFINV30080			
36" (914)	80"	417	VTFINV36080			
42" (1067)	80"	477	VTFINV42080			
48" (1219)	80"	538	VTFINV48080			
12" (305)	96"	\$ 201	VTFINV12096			
18" (457)	96"	262	VTFINV18096			
24" (610)	96"	322	VTFINV24096			
30" (762)	96"	383	VTFINV30096			
36" (914)	96"	444	VTFINV36096			
42" (1067)	96"	505	VTFINV42096			
48" (1219)	96"	565	VTFINV48096			
		our complete umber here:				



Total Cost \$155 =



**Vinyl Insert Tile** continued



**Vinyl Insert Tile** 

Dimen Width	sions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	114"	\$ 228	VTFINV12114	Specify	Specify	See
18" (457)	114"	310	VTFINV18114	in 1/8"	in ½"	Surface
24" (610)	114"	390	VTFINV24114	incre-	incre-	Materials
30" (762)	114"	471	VTFINV30114	ments	ments	Page 4
36" (914)	114"	552	VTFINV36114			
42" (1067)	114"	633	VTFINV42114			
48" (1219)	114"	713	VTFINV48114			
Build your complete Part Number here:						

Denotes Wood Grain Direction

Sample Part Number:

Total Cost \$228 =

VTFINV12114	.11.375	.113.5	.AS4
\$228	N/C	N/C ■	N/C

#### **Laminate Insert Tile**

Laminate Insert Tiles sit flush to the frame and leave the surrounding aluminum frame exposed.

Inserts are available in widths from 6" to 48" in 1/8" increments, and in heights from 8" to 114" in 1/2" increments.




Denotes Laminate
Grain Direction

#### **Laminate Insert Tile**

Dimen Width	nsions Height	Laı 1	List Price minate Gi 2		Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 99	\$ 112	\$ 126	VTFINL12016	Specify	Specify	See
18" (457)	16"	140	153	180	VTFINL18016	in 1/8"	in ½"	Surface
24" (610)	16"	182	194	237	VTFINL24016	incre-	incre-	Materials
30" (762)	16"	226	239	293	VTFINL30016	ments	ments	Page 5
36" (914)	16"	267	280	350	VTFINL36016			
42" (1067)	16"	310	324	404	VTFINL42016			
48" (1219)	16"	354	366	462	VTFINL48016			
12" (305)	32"	\$ 140	\$ 153	\$ 193	VTFINL12032			
18" (457)	32"	197	212	279	VTFINL18032			
24" (610)	32"	254	267	362	VTFINL24032			
30" (762)	32"	310	324	444	VTFINL30032			
36" (914)	32"	366	380	528	VTFINL36032			
42" (1067)	32"	424	437	612	VTFINL42032			
48" (1219)	32"	481	494	696	VTFINL48032			
12" (305)	48"	\$ 182	\$ 194	\$ 264	VTFINL12048			
18" (457)	48"	239	266	347	VTFINL18048			
24" (610)	48"	297	337	432	VTFINL24048			
30" (762)	48"	354	408	516	VTFINL30048			
36" (914)	48"	409	476	599	VTFINL36048			
42" (1067)	48"	466	548	682	VTFINL42048			
48" (1219)	48"	524	618	767	VTFINL48048			
			our comp					

Sample Part Number:

Total Cost \$99 =



Laminate Insert Tile continued

I aminate Insert Tile



Denotes Laminate
Grain Direction

Dimen Width	sions Height	Lar 1	List Price minate Gi 2		Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 226	\$ 239	\$ 333	VTFINL12064	Specify	Specify	See
18" (457)	64"	289	324	444	VTFINL18064	in 1/8"	in ½"	Surface
24" (610)	64"	354	408	556	VTFINL24064	incre-	incre-	Materials
30" (762)	64"	416	490	666	VTFINL30064	ments	ments	Page 5
36" (914)	64"	481	575	777	VTFINL36064			
42" (1067)	64"	543	659	888	VTFINL42064			
48" (1219)	64"	608	743	1000	VTFINL48064			
12" (305)	80"	\$ 267	\$ 280	\$ 402	VTFINL12080			
18" (457)	80"	354	382	543	VTFINL18080			
24" (610)	80"	438	477	681	VTFINL24080			
30" (762)	80"	524	577	819	VTFINL30080			
36" (914)	80"	608	675	958	VTFINL36080			
42" (1067)	80"	694	775	1100	VTFINL42080			
48" (1219)	80"	778	871	1237	VTFINL48080			
12" (305)	96"	\$ 310	\$ 324	\$ 471	VTFINL12096			
18" (457)	96"	395	436	611	VTFINL18096			
24" (610)	96"	481	548	749	VTFINL24096			
30" (762)	96"	565	661	889	VTFINL30096			
36" (914)	96"	649	771	1027	VTFINL36096			
42" (1067)	96"	734	883	1165	VTFINL42096			
48" (1219)	96"	819	994	1305	VTFINL48096			
			our comp					

Sample Part Number:



VTFINL12064	.11.375	.63.5 	.J25
\$226 <b>•</b>	N/C	N/C	N/C

Monolithic Panels

Doors

Tiles

Connectors

**Laminate Insert Tile** continued



Laminate Insert Tile								
Dimen Width	isions Height	La 1	List Price minate Gr 2		Catalog Number	Width	Height	Surface Color
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	114" 114" 114" 114" 114" 114"	\$ 354 451 551 649 749 848 948	\$ 366 491 618 744 870 998 1123	\$ 543 707 874 1041 1207 1375 1540	VTFINL12114 VTFINL18114 VTFINL24114 VTFINL30114 VTFINL36114 VTFINL42114 VTFINL48114	Specify in 1/8" increments	Specify in ½" increments	See Surface Materials Page 5
		•	our comp					

Denotes Laminate Grain Direction

Sample Part Number:

Total Cost \$354 =

VTFINL12114	.11.375	.113.5	.J25 
\$354	N/C	N/C	N/C

Veneer Insert Tiles sit flush to the frame and leave the surrounding aluminum frame exposed.

Volo Inserts are available in widths from 6" to 48" in 1/8" increments, and in heights from 8" to 114" in ½" increments.



Denotes Wood Grain Direction

## **Veneer Insert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 190	VTFINW12016	Specify	Specify	See
18" (457)	16"	303	VTFINW18016	in 1/8"	in ½"	Surface
24" (610)	16"	416	VTFINW24016	incre-	incre-	Materials
30" (762)	16"	531	VTFINW30016	ments	ments	Page 4
36" (914)	16"	643	VTFINW36016			
42" (1067)	16"	756	VTFINW42016			
48" (1219)	16"	870	VTFINW48016			
12" (305)	32"	\$ 360	VTFINW12032			
18" (457)	32"	559	VTFINW18032			
24" (610)	32"	756	VTFINW24032			
30" (762)	32"	954	VTFINW30032			
36" (914)	32"	1153	VTFINW36032			
42" (1067)	32"	1351	VTFINW42032			
48" (1219)	32"	1550	VTFINW48032			
12" (305)	48"	\$ 531	VTFINW12048			
18" (457)	48"	783	VTFINW18048			
24" (610)	48"	1040	VTFINW24048			
30" (762)	48"	1293	VTFINW30048			
36" (914)	48"	1550	VTFINW36048			
42" (1067)	48"	1805	VTFINW42048			
48" (1219)	48"	2058	VTFINW48048			
	1					
	Build your co Part Number					

Sample Part Number:

Total Cost \$190 =

VTFINW12016	.11.375	.115.5	.M2
\$190 <b>"</b>	N/C	N/C	N/C

**Veneer Insert Tile** continued




Denotes Wood Grain Direction

## **Veneer Insert Tile**

					I	
Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 700	VTFINW12064	Specify	Specify	See
18" (457)	64"	1040	VTFINW18064	in 1/8"	in ½"	Surface
24" (610)	64"	1379	VTFINW24064	incre-	incre-	Materials
30" (762)	64"	1719	VTFINW30064	ments	ments	Page 4
36" (914)	64"	2058	VTFINW36064			
42" (1067)	64"	2399	VTFINW42064			
48" (1219)	64"	2738	VTFINW48064			
12" (305)	80"	\$ 870	VTFINW12080			
18" (457)	80"	1293	VTFINW18080			
24" (610)	80"	1719	VTFINW24080			
30" (762)	80"	2144	VTFINW30080			
36" (914)	80"	2569	VTFINW36080			
42" (1067)	80"	2995	VTFINW42080			
48" (1219)	80"	3418	VTFINW48080			
12" (305)	96"	\$ 1040	VTFINW12096			
18" (457)	96"	1606	VTFINW18096			
24" (610)	96"	2173	VTFINW24096			
30" (762)	96"	2738	VTFINW30096			
36" (914)	96"	3306	VTFINW36096			
42" (1067)	96"	3871	VTFINW42096			
48" (1219)	96"	4438	VTFINW48096			
	Build your co					

Sample Part Number:

Total Cost \$700 =



Veneer Insert Tile continued

B-			
1000			
300			
410 13	wit.		
17.13			
-			


Denotes Wood Grain Direction

## **Veneer Insert Tile**

Dimensions Width Height		List Price	Catalog Number	Width	Height	Surface Color
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	114" 114" 114" 114" 114" 114" 114"	\$ 1211 1917 2625 3335 4042 4749 5459	VTFINW12114 VTFINW18114 VTFINW24114 VTFINW30114 VTFINW36114 VTFINW42114 VTFINW48114	Specify in 1/8" incre- ments	Specify in ½" incre- ments	See Surface Materials Page 4
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$1211 =



**Tackable Insert Tile** 

Tackable Insert Tiles sit flush to the frame and leave the surrounding aluminum frame exposed.

Volo Inserts are available in widths from 6" to 48" in 1/8" increments, and in heights from 8" to 64" in 1/2" increments.

<b>Tackable</b>	Insert	Tile
-----------------	--------	------


Dimen Width	sions Height	0/1	2		Price Grade 4	5	6	Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 140	\$ 153	\$ 173	\$ 193	\$ 214	\$ 241	VTFINT12016	Specify	Specify	See
	16"	197	ъ 153 212	ъ 173 230	ъ 193 252	φ 214 271	φ 241 299	VTFINT12016 VTFINT18016	in 1/8"	in ½"	Surface
18" (457) 24" (610)	16"	254	267	288	309	328	355	VTFINT18016 VTFINT24016	incre-	incre-	Materials
30" (762)	16"	310	324	342	364	384	412	VTFINT30016	ments	ments	Page 3
36" (914)	16"	366	380	400	421	440	468	VTFINT36016			1 1132
42" (1067)	16"	424	437	457	477	497	525	VTFINT42016			
48" (1219)	16"	481	494	513	534	555	581	VTFINT48016			
40 (1219)	10	401	434	313	304		301	V11114140010			
12" (305)	32"	\$ 197	\$ 212	\$ 230	\$ 252	\$ 271	\$ 299	VTFINT12032			
18" (457)	32"	254	267	288	309	328	355	VTFINT18032			
24" (610)	32"	310	324	342	364	384	412	VTFINT24032			
30" (762)	32"	366	380	400	421	440	468	VTFINT30032			
36" (914)	32"	424	437	457	477	497	525	VTFINT36032			
42" (1067)	32"	481	494	513	534	555	581	VTFINT42032			
48" (1219)	32"	537	551	570	592	611	638	VTFINT48032			
12" (305)	48"	\$ 254	\$ 267	\$ 288	\$ 309	\$ 328	\$ 355	VTFINT12048	1		
18" (457)	48"	326	339	359	380	400	427	VTFINT18048			
24" (610)	48"	395	408	428	450	469	496	VTFINT24048			
30" (762)	48"	466	481	500	521	540	568	VTFINT30048			
36" (914)	48"	537	551	570	592	611	638	VTFINT36048			
42" (1067)	48"	608	622	642	663	682	709	VTFINT42048			
48" (1219)	48"	678	692	711	732	752	779	VTFINT48048			
, ,											
						l your cor					



Sam	ple
Part	Number:

Part Number here:

Total Cost \$140 =



**Tackable Insert Tile** continued

ס

# **Tackable Insert Tile**

D:	-!				Price			Ontolon			0
Dimens Width	Height	1	2	3	c Grade 4	5	6	Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 310	\$ 324	\$ 342	\$ 364	\$ 384	\$ 412	VTFINT12064	Specify	Specify	See
18" (457)	64"	382	395	415	436	456	483	VTFINT18064	in 1/8"	in ½"	Surface
24" (610)	64"	451	464	484	505	525	552	VTFINT24064	incre-	incre-	Materials
30" (762)	64"	524	537	557	577	597	625	VTFINT30064	ments	ments	Page 3
36" (914)	64"	594	607	627	648	668	695	VTFINT36064			
42" (1067)	64"	666	679	699	719	740	767	VTFINT42064			
48" (1219)	64"	734	748	768	790	808	836	VTFINT48064			
12" (305)	80"	\$ 366	\$ 380	\$ 400	\$ 421	\$ 440	\$ 468	VTFINT12080			
12 (303) 18" (457)	80"	451	φ 360 464	φ 400 484	φ 42 i 505	525	φ <del>4</del> 00 552	VTFINT12080 VTFINT18080			
24" (610)	80"	537	551	570	592	611	638	VTFINT18080 VTFINT24080			
30" (762)	80"	621	634	655	675	695	722	VTFINT30080			
36" (914)	80"	706	719	740	761	780	807	VTFINT36080			
42" (1067)	80"	793	806	827	846	867	894	VTFINT42080			
48" (1219)	80"	877	890	909	931	951	978	VTFINT48080			
		077						***************************************			
12" (305)	96"	\$ 424	\$ 437	\$ 457	\$ 477	\$ 497	\$ 525	VTFINT12096			
18" (457)	96"	508	522	542	563	582	609	VTFINT18096			
24" (610)	96"	594	607	627	648	668	695	VTFINT24096			
30" (762)	96"	678	692	711	732	752	779	VTFINT30096			
36" (914)	96"	765	778	797	818	839	866	VTFINT36096			
42" (1067)	96"	848	862	881	903	921	950	VTFINT42096			
48" (1219)	96"	933	946	967	988	1007	1034	VTFINT48096			



Sample Part Number:

P | 1-800-893-8115 F | 1-800-893-8121

**Build your complete** 

Part Number here:


**VTFINT12064** .11.375 .63.5 .B49 Total Cost \$310 = N/C N/C \$310 N/C

#### **Laminate Lower Outsert Tile**

Laminate Lower Outserts sit 1/4" proud of the frame and leave only 1/4" of surrounding framing exposed.

Lower Outsert Tiles are required for the lowest tile position, where a tile installs on the base frame. Lower Tiles must be specified for this position to allow the full range of height adjustment for the panel.






### **Laminate Lower Outsert Tile**

Dimen Width	sions Height	Lai 1	List Price minate Gr 2		Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 127	\$ 140	\$ 154	VTFOLL12016	Specify	Specify	See
18" (457)	16"	168	182	210	VTFOLL18016	in 1/8"	in ½"	Surface
24" (610)	16"	212	224	265	VTFOLL24016	incre-	incre-	Materials
30" (762)	16"	254	267	322	VTFOLL30016	ments	ments	Page 5
36" (914)	16"	297	310	379	VTFOLL36016			
42" (1067)	16"	338	352	433	VTFOLL42016			
48" (1219)	16"	382	394	489	VTFOLL48016			
12" (305)	32"	\$ 168	\$ 182	\$ 224	VTFOLL12032			
18" (457)	32"	226	239	307	VTFOLL18032			
24" (610)	32"	281	295	389	VTFOLL24032			
30" (762)	32"	338	352	472	VTFOLL30032			
36" (914)	32"	395	408	557	VTFOLL36032			
42" (1067)	32"	451	464	639	VTFOLL42032			
48" (1219)	32"	508	522	725	VTFOLL48032			
12" (305)	48"	\$ 212	\$ 224	\$ 292	VTFOLL12048			
18" (457)	48"	267	295	375	VTFOLL18048			
24" (610)	48"	326	365	460	VTFOLL24048			
30" (762)	48"	382	436	543	VTFOLL30048			
36" (914)	48"	438	505	627	VTFOLL36048			
42" (1067)	48"	495	576	711	VTFOLL42048			
48" (1219)	48"	551	644	794	VTFOLL48048			
			our comp					

Part Number:



Total Cost \$127 =





**Laminate Lower Outsert Tile** 

Dimen Width	sions Height	La:	List Price minate Gr 2		Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 254	\$ 267	\$ 362	VTFOLL12064	Specify	Specify	See
18" (457)	64"	316	351	471	VTFOLL18064	in 1/8"	in ½"	Surface
24" (610)	64"	382	436	582	VTFOLL24064	incre-	incre-	Materials
30" (762)	64"	444	519	694	VTFOLL30064	ments	ments	Page 5
36" (914)	64"	508	604	805	VTFOLL36064			
42" (1067)	64"	571	688	916	VTFOLL42064			
48" (1219)	64"	637	771	1027	VTFOLL48064			
12" (305)	80"	\$ 297	\$ 310	\$ 432	VTFOLL12080			
18" (457)	80"	382	408	570	VTFOLL18080			
24" (610)	80"	466	506	709	VTFOLL24080			
30" (762)	80"	551	605	846	VTFOLL30080			
36" (914)	80"	637	704	988	VTFOLL36080			
42" (1067)	80"	721	803	1126	VTFOLL42080			
48" (1219)	80"	806	901	1264	VTFOLL48080			
12" (305)	96"	\$ 338	\$ 352	\$ 500	VTFOLL12096			
18" (457)	96"	424	464	639	VTFOLL18096			
24" (610)	96"	508	576	778	VTFOLL24096			
30" (762)	96"	594	689	917	VTFOLL30096			
36" (914)	96"	678	800	1055	VTFOLL36096			
42" (1067)	96"	765	914	1194	VTFOLL42096			
48" (1219)	96"	848	1024	1334	VTFOLL48096			
	1		our comp					

Denotes Laminate Pattern Direction

Sam	ple	
Part	Number:	





#### **Laminate Upper Outsert Tile**

Laminate Upper Outserts sit 1/4" proud of the frame and leave only 1/4" of surrounding frame exposed.

Upper Outsert Tiles are required for all tile positions above the lowest position. (Lower Tiles must be specified for the lowest position where a tile installs on the base frame.)





<b>A</b>	
Τ	Denotes Laminate
	Pattern Direction
_	

# **Laminate Upper Outsert Tile**

Dimen Width	sions Height	La:	List Price minate Gi 2		Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 127	\$ 140	\$ 154	VTFOUL12016	Specify	Specify	See
18" (457)	16"	168	182	210	VTFOUL18016	in 1/8"	in ½"	Surface
24" (610)	16"	212	224	265	VTFOUL24016	incre-	incre-	Materials
30" (762)	16"	254	267	322	VTFOUL30016	ments	ments	Page 5
36" (914)	16"	297	310	379	VTFOUL36016			
42" (1067)	16"	338	352	433	VTFOUL42016			
48" (1219)	16"	382	394	489	VTFOUL48016			
12" (305)	32"	\$ 168	\$ 182	\$ 224	VTFOUL12032			
18" (457)	32"	226	239	307	VTFOUL18032			
24" (610)	32"	281	295	389	VTFOUL24032			
30" (762)	32"	338	352	472	VTFOUL30032			
36" (914)	32"	395	408	557	VTFOUL36032			
42" (1067)	32"	451	464	639	VTFOUL42032			
48" (1219)	32"	508	522	725	VTFOUL48032			
12" (305)	48"	\$ 212	\$ 224	\$ 292	VTFOUL12048			
18" (457)	48"	267	295	375	VTFOUL18048			
24" (610)	48"	326	365	460	VTFOUL24048			
30" (762)	48"	382	436	543	VTFOUL30048			
36" (914)	48"	438	505	627	VTFOUL36048			
42" (1067)	48"	495	576	711	VTFOUL42048			
48" (1219)	48"	551	644	794	VTFOUL48048			
		Build v	our comp	loto				
			mber her					

Sample Part Number:








Denotes Laminate Pattern Direction

# **Laminate Upper Outsert Tile**

Dimen Width	sions Height	Lar 1	List Price minate Gr 2		Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 254	\$ 267	\$ 362	VTFOUL12064	Specify	Specify	See
18" (457)	64"	316	351	471	VTFOUL18064	in 1/8"	in ½"	Surface
24" (610)	64"	382	436	582	VTFOUL24064	incre-	incre-	Materials
30" (762)	64"	444	519	694	VTFOUL30064	ments	ments	Page 5
36" (914)	64"	508	604	805	VTFOUL36064			
42" (1067)	64"	571	688	916	VTFOUL42064			
48" (1219)	64"	637	771	1027	VTFOUL48064			
12" (305)	80"	\$ 297	\$ 310	\$ 432	VTFOUL12080			
18" (457)	80"	382	408	570	VTFOUL18080			
24" (610)	80"	466	506	709	VTFOUL24080			
30" (762)	80"	551	605	846	VTFOUL30080			
36" (914)	80"	637	704	988	VTFOUL36080			
42" (1067)	80"	721	803	1126	VTFOUL42080			
48" (1219)	80"	806	901	1264	VTFOUL48080			
12" (305)	96"	\$ 338	\$ 352	\$ 500	VTFOUL12096			
18" (457)	96"	424	464	639	VTFOUL18096			
24" (610)	96"	508	576	778	VTFOUL24096			
30" (762)	96"	594	689	917	VTFOUL30096			
36" (914)	96"	678	800	1055	VTFOUL36096			
42" (1067)	96"	765	914	1194	VTFOUL42096			
48" (1219)	96"	848	1024	1334	VTFOUL48096			
Build your complete Part Number here:								

Sample Part Number:

Total Cost \$254 =



#### **Veneer Lower Outsert Tile**

Veneer Lower Outserts sit ¼" proud of the frame and leave only ¼" of surrounding framing exposed.

Lower Outsert Tiles are required for the lowest tile position, where a tile installs on the base frame. Lower Tiles must be specified for this position to allow the full range of height adjustment for the panel.




Denotes Wood Grain Direction

### **Veneer Lower Outsert Tile**

Dime Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 260	VTFOLW12016	Specify	Specify	See
18" (457)	16"	372	VTFOLW18016	in 1/8"	in ½"	Surface
24" (610)	16"	487	VTFOLW24016	incre-	incre-	Materials
30" (762)	16"	600	VTFOLW30016	ments	ments	Page 4
36" (914)	16"	713	VTFOLW36016			
42" (1067)	16"	828	VTFOLW42016			
48" (1219)	16"	940	VTFOLW48016			
12" (305)	32"	\$ 431	VTFOLW12032			
18" (457)	32"	629	VTFOLW18032			
24" (610)	32"	828	VTFOLW24032			
30" (762)	32"	1025	VTFOLW30032			
36" (914)	32"	1223	VTFOLW36032			
42" (1067)	32"	1422	VTFOLW42032			
48" (1219)	32"	1620	VTFOLW48032			
12" (305)	48"	\$ 600	VTFOLW12048			
18" (457)	48"	854	VTFOLW18048			
24" (610)	48"	1111	VTFOLW24048			
30" (762)	48"	1365	VTFOLW30048			
36" (914)	48"	1620	VTFOLW36048			
42" (1067)	48"	1874	VTFOLW42048			
48" (1219)	48"	2129	VTFOLW48048			
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$260 =







Denotes Wood Grain Direction

## **Veneer Lower Outsert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 770	VTFOLW12064	Specify	Specify	See
18" (457)	64"	1111	VTFOLW18064	in 1/8"	in ½"	Surface
24" (610)	64"	1450	VTFOLW24064	incre-	incre-	Materials
30" (762)	64"	1790	VTFOLW30064	ments	ments	Page 4
36" (914)	64"	2129	VTFOLW36064			
42" (1067)	64"	2469	VTFOLW42064			
48" (1219)	64"	2808	VTFOLW48064			
12" (305)	80"	\$ 940	VTFOLW12080			
18" (457)	80"	1365	VTFOLW18080			
24" (610)	80"	1790	VTFOLW24080			
30" (762)	80"	2214	VTFOLW30080			
36" (914)	80"	2638	VTFOLW36080			
42" (1067)	80"	3064	VTFOLW42080			
48" (1219)	80"	3489	VTFOLW48080			
12" (305)	96"	\$ 1111	VTFOLW12096			
18" (457)	96"	1676	VTFOLW18096			
24" (610)	96"	2243	VTFOLW24096			
30" (762)	96"	2808	VTFOLW30096			
36" (914)	96"	3375	VTFOLW36096			
42" (1067)	96"	3942	VTFOLW42096			
48" (1219)	96"	4509	VTFOLW48096			
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$770 =

VTFOLW12064	.11.375	.63.5	.M1
\$770	N/C	N/C	N/C

#### **Veneer Upper Outsert Tile**

Veneer Upper Outserts sit ¼" proud of the frame and leave only ¼" of surrounding frame exposed.

Upper Outsert Tiles are required for all tile positions above the lowest position. (Lower Tiles must be specified for the lowest position where a tile installs on the base frame.)




Denotes Wood Grain Direction

# **Veneer Upper Outsert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	16"	\$ 260	VTFOUW12016	Specify	Specify	See
18" (457)	16"	372	VTFOUW18016	in 1/8"	in ½"	Surface
24" (610)	16"	487	VTFOUW24016	incre-	incre-	Materials
30" (762)	16"	600	VTFOUW30016	ments	ments	Page 4
36" (914)	16"	713	VTFOUW36016			
42" (1067)	16"	828	VTFOUW42016			
48" (1219)	16"	940	VTFOUW48016			
12" (305)	32"	\$ 431	VTFOUW12032			
18" (457)	32"	629	VTFOUW18032			
24" (610)	32"	828	VTFOUW24032			
30" (762)	32"	1025	VTFOUW30032			
36" (914)	32"	1223	VTFOUW36032			
42" (1067)	32"	1422	VTFOUW42032			
48" (1219)	32"	1620	VTFOUW48032			
12" (305)	48"	\$ 600	VTFOUW12048			
18" (457)	48"	854	VTFOUW18048			
24" (610)	48"	1111	VTFOUW24048			
30" (762)	48"	1365	VTFOUW30048			
36" (914)	48"	1620	VTFOUW36048			
42" (1067)	48"	1874	VTFOUW42048			
48" (1219)	48"	2129	VTFOUW48048			
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$260 =







**Denotes Wood** Grain Direction

# **Veneer Upper Outsert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Surface Color
12" (305)	64"	\$ 770	VTFOUW12064	Specify	Specify	See
18" (457)	64"	1111	VTFOUW18064	in 1/8"	in ½"	Surface
24" (610)	64"	1450	VTFOUW24064	incre-	incre-	Materials
30" (762)	64"	1790	VTFOUW30064	ments	ments	Page 4
36" (914)	64"	2129	VTFOUW36064			
42" (1067)	64"	2469	VTFOUW42064			
48" (1219)	64"	2808	VTFOUW48064			
12" (305)	80"	\$ 940	VTFOUW12080			
18" (457)	80"	1365	VTFOUW18080			
24" (610)	80"	1790	VTFOUW24080			
30" (762)	80"	2214	VTFOUW30080			
36" (914)	80"	2638	VTFOUW36080			
42" (1067)	80"	3064	VTFOUW42080			
48" (1219)	80"	3489	VTFOUW48080			
12" (305)	96"	\$ 1111	VTFOUW12096			
18" (457)	96"	1676	VTFOUW18096			
24" (610)	96"	2243	VTFOUW24096			
30" (762)	96"	2808	VTFOUW30096			
36" (914)	96"	3375	VTFOUW36096			
42" (1067)	96"	3942	VTFOUW42096			
48" (1219)	96"	4509	VTFOUW48096			
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$770 =



#### Glass Marker Board Lower Outsert Tile

Glass Marker Board Lower Outserts sit ¼" proud of the frame and leaves ¼" of surrounding frame exposed.

Lower Outsert Tiles are required for the lowest tile position, where a tile installs on the base frame. Lower Tiles must be specified for this position to allow the full range of height adjustment for the panel.




#### **Glass Marker Board Lower Outsert Tile**

Dime Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	16"	\$ 316	VTFOLGM12016	Specify	Specify	Standard
18" (457)	16"	495	VTFOLGM18016	in ¹/8"	in ½"	Back
24" (610)	16"	671	VTFOLGM24016	incre-	incre-	Paint Colors
30" (762)	16"	848	VTFOLGM30016	ments	ments	No Cost
36" (914)	16"	1025	VTFOLGM36016			
42" (1067)	16"	1203	VTFOLGM42016			
48" (1219)	16"	1379	VTFOLGM48016			
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	32" 32" 32" 32" 32" 32" 48"	\$ 600 919 1239 1556 1874 2193 2513	VTFOLGM12032 VTFOLGM18032 VTFOLGM24032 VTFOLGM30032 VTFOLGM42032 VTFOLGM48032 VTFOLGM12048			
18" (457)	48"	1345	VTFOLGM18048			
24" (610)	48"	1805	VTFOLGM24048			
30" (762)	48"	2263	VTFOLGM30048			
36" (914)	48"	2724	VTFOLGM36048			
42" (1067)	48"	3186	VTFOLGM42048			
48" (1219)	48"	3646	VTFOLGM48048			
	Build your co					
Part Number here:						

Sample Part Number:

Total Cost \$316 =



**Glass Marker Board Lower Outsert** Tile Continued



#### **Glass Marker Board Lower Outsert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	64"	\$ 1166	VTFOLGM12064	Specify	Specify	Standard
18" (457)	64"	1769	VTFOLGM18064	in 1/8"	in ½"	Back
24" (610)	64"	2371	VTFOLGM24064	incre-	incre-	Paint Colors
30" (762)	64"	2972	VTFOLGM30064	ments	ments	No Cost
36" (914)	64"	3574	VTFOLGM36064			
42" (1067)	64"	4176	VTFOLGM42064			
48" (1219)	64"	4779	VTFOLGM48064			
12" (305) 18" (457) 24" (610) 30" (762)	80" 80" 80" 80"	\$ 1450 2052 2654 3256	VTFOLGM12080 VTFOLGM18080 VTFOLGM24080 VTFOLGM30080			
36" (914)	80"	3857	VTFOLGM36080			
42" (1067)	80"	4459	VTFOLGM30080			
48" (1219)	80"	5060	VTFOLGM48080			
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219)	96" 96" 96" 96" 96" 96"	\$ 1732 2336 2936 3539 4141 4744 5344	VTFOLGM12096 VTFOLGM18096 VTFOLGM24096 VTFOLGM30096 VTFOLGM36096 VTFOLGM42096 VTFOLGM48096			
Build your complete Part Number here:						


Sample Part Number:



# Glass Marker Board Upper Outsert Tile

Glass Marker Board Upper Outserts sit ¼" proud of the frame and leaves ¼" of surrounding frame exposed.

Upper Outsert Tiles are required for all tile positions above the lowest position. (Lower Tiles must be specified for the lowest position where a tile installs on the base frame.)




## Glass Marker Board Upper Outsert Tile

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	16"	\$ 316	VTFOUGM12016	Specify	Specify	Standard
18" (457)	16"	495	VTFOUGM18016	in ¹/8"	in ½"	Back
24" (610)	16"	671	VTFOUGM24016	incre-	incre-	Paint Colors
30" (762)	16"	848	VTFOUGM30016	ments	ments	No Cost
36" (914)	16"	1025	VTFOUGM36016			
42" (1067)	16"	1203	VTFOUGM42016			
48" (1219)	16"	1379	VTFOUGM48016			
12" (305)	32"	\$ 600	VTFOUGM12032			
18" (457)	32"	919	VTFOUGM18032			
24" (610)	32"	1239	VTFOUGM24032			
30" (762)	32"	1556	VTFOUGM30032			
36" (914)	32"	1874	VTFOUGM36032			
42" (1067)	32"	2193	VTFOUGM42032			
48" (1219)	32"	2513	VTFOUGM48032			
12" (305)	48"	\$ 882	VTFOUGM12048			
18" (457)	48"	1345	VTFOUGM18048			
24" (610)	48"	1805	VTFOUGM24048			
30" (762)	48"	2263	VTFOUGM30048			
36" (914)	48"	2724	VTFOUGM36048			
42" (1067)	48"	3186	VTFOUGM42048			
48" (1219)	48"	3646	VTFOUGM48048			
, ,						
Build your complete Part Number here:						

Sample Part Number:

Total Cost \$316 =



Glass Marker Board Upper Outsert Tile Continued

irface terials

Planning

ing

Monolithic

Panel

Tile

Connectors

Electrical

Terms & Policies




# **Glass Marker Board Upper Outsert Tile**

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	64"	\$ 1166	VTFOUGM12064	Specify	Specify	Standard
18" (457)	64"	1769	VTFOUGM18064	in 1/8"	in ½"	Back
24" (610)	64"	2371	VTFOUGM24064	incre-	incre-	Paint Colors
30" (762)	64"	2972	VTFOUGM30064	ments	ments	No Cost
36" (914)	64"	3574	VTFOUGM36064			
42" (1067)	64"	4176	VTFOUGM42064			
48" (1219)	64"	4779	VTFOUGM48064			
12" (305)	80"	\$ 1450	VTFOUGM12080			
12 (303) 18" (457)	80"	2052	VTFOUGM12080 VTFOUGM18080			
24" (610)	80"	2654	VTFOUGM18080			
30" (762)	80"	3256	VTFOUGM30080			
36" (914)	80"	3857	VTFOUGM36080			
42" (1067)	80"	4459	VTFOUGM42080			
48" (1219)	80"	5060	VTFOUGM48080			
4011 (005)	0.011	¢ 4700	VITEOUCHMOOOC			
12" (305)	96"	\$ 1732	VTFOUGM12096			
18" (457)	96" 96"	2336 2936	VTFOUGM18096 VTFOUGM24096			
24" (610)	96"	3539	VTFOUGM24096			
30" (762) 36" (914)	96"	4141	VTFOUGM36096			
42" (1067)	96"	4744	VTFOUGM30096 VTFOUGM42096			
48" (1219)	96"	5344	VTFOUGM42096 VTFOUGM48096			
40 (IZI9)	90	5344	V 1 FOUGIVI48096			
Build your complete Part Number here:						

Sample Part Number:

P | 1-800-893-8115 F | 1-800-893-8121



.11.375

.63.5

VTFOUGM12064

.M00

### Glass Marker Board - Steel Backed **Lower Outsert Tile**

Glass Marker Board Lower Outserts sit 1/4" proud of the frame and leaves 1/4" of surrounding frame exposed.

Lower Outsert Tiles are required for the lowest tile position, where a tile installs on the base frame. Lower Tiles must be specified for this position to allow the full range of height adjustment for the


Steel backing enables the use of strong (e.g., rare earth) magnets to attach items to the glass tile.

### Glass Marker Board - Steel Backed Lower Outsert Tile

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	16"	\$ 565	VTFOLMGM12016	Specify	Specify	Standard
18" (457)	16"	778	VTFOLMGM18016	in ¹/8"	in ½"	Back
24" (610)	16"	989	VTFOLMGM24016	incre-	incre-	Paint Colors
30" (762)	16"	1203	VTFOLMGM30016	ments	ments	No Cost
36" (914)	16"	1415	VTFOLMGM36016			
42" (1067)	16"	1627	VTFOLMGM42016			
48" (1219)	16"	1840	VTFOLMGM48016			
12" (305) 18" (457) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 12" (305) 18" (457) 24" (610) 30" (762) 36" (914)	32" 32" 32" 32" 32" 32" 32" 48" 48" 48" 48"	\$ 919 1345 1769 2193 2620 3042 3470 \$ 1274 1980 2689 3397 4105	VTFOLMGM12032 VTFOLMGM18032 VTFOLMGM24032 VTFOLMGM36032 VTFOLMGM42032 VTFOLMGM48032 VTFOLMGM12048 VTFOLMGM18048 VTFOLMGM24048 VTFOLMGM30048 VTFOLMGM30048			
42" (1067) 48" (1219)	48" 48"	4813 5521	VTFOLMGM42048 VTFOLMGM48048			
	Build your co					

Sample Part Number:

Total Cost \$565 =



**Lower Outsert Tile Continued** 





### Glass Marker Board - Steel Backed Lower Outsert Tile

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	64"	\$1627	VTFOLMGM12064	Specify	Specify	Standard
18" (457)	64"	2620	VTFOLMGM18064	in 1/8"	in ½"	Back
24" (610)	64"	3610	VTFOLMGM24064	incre-	incre-	Paint Colors
30" (762)	64"	4603	VTFOLMGM30064	ments	ments	No Cost
36" (914)	64"	5593	VTFOLMGM36064			
42" (1067)	64"	6583	VTFOLMGM42064			
48" (1219)	64"	7575	VTFOLMGM48064			
12" (305)	80"	\$1911	VTFOLMGM12080			
18" (457)	80"	2902	VTFOLMGM18080			
24" (610)	80"	3894	VTFOLMGM24080			
30" (762)	80"	4884	VTFOLMGM30080			
36" (914)	80"	5876	VTFOLMGM36080			
42" (1067)	80"	6868	VTFOLMGM42080			
48" (1219)	80"	7858	VTFOLMGM48080			
12" (305)	96"	\$2193	VTFOLMGM12096			
18" (457)	96"	3186	VTFOLMGM18096			
24" (610)	96"	4176	VTFOLMGM24096			
30" (762)	96"	5167	VTFOLMGM30096			
36" (914)	96"	6159	VTFOLMGM36096			
42" (1067)	96"	7151	VTFOLMGM42096			
48" (1219)	96"	8142	VTFOLMGM48096			
	Build your c					

Sample Part Number:



.11.375

.63.5

VTFOLMGM12064

.M00

# Glass Marker Board – Steel Backed Upper Outsert Tile

Glass Marker Board Upper Outserts sit ¼" proud of the frame and leaves ¼" of surrounding frame exposed.

Upper Outsert Tiles are required for all tile positions above the lowest position. (Lower Tiles must be specified for the lowest position where a tile installs on the base frame.)

Steel backing enables the use of strong (e.g., rare earth) magnets to attach items to the glass tile.




### Glass Marker Board – Steel Backed Upper Outsert Tile

Dim Width	ensions Height	List Price	Catalog Number	Width	Height	Back Painted Color
12" (305)	16"	\$ 565	VTFOUMGM12016	Specify	Specify	Standard
18" (457)	16"	778	VTFOUMGM18016	in 1/8"	in ½"	Back
24" (610)	16"	989	VTFOUMGM24016	incre-	incre-	Paint Colors
30" (762)	16"	1203	VTFOUMGM30016	ments	ments	No Cost
36" (914)	16"	1415	VTFOUMGM36016			
42" (1067)	16"	1627	VTFOUMGM42016			
48" (1219)	16"	1840	VTFOUMGM48016			
12" (305)	32"	\$ 919	VTFOUMGM12032			
18" (457)	32"	1345	VTFOUMGM18032			
24" (610)	32"	1769	VTFOUMGM24032			
30" (762)	32"	2193	VTFOUMGM30032			
36" (914)	32"	2620	VTFOUMGM36032			
42" (1067)	32"	3042	VTFOUMGM42032			
48" (1219)	32"	3470	VTFOUMGM48032			
12" (305)	48"	\$ 1274	VTFOUMGM12048			
18" (457)	48"	1980	VTFOUMGM18048			
24" (610)	48"	2689	VTFOUMGM24048			
30" (762)	48"	3397	VTFOUMGM30048			
36" (914)	48"	4105	VTFOUMGM36048			
42" (1067)	48"	4813	VTFOUMGM42048			
48" (1219)	48"	5521	VTFOUMGM48048			
	Build your co					
	Part Number	nere:				

Part Number:

Sample

Total Cost \$565 =



Glass Marker Board – Steel Backed Upper Outsert Tile Continued

urface aterials

Planning

\_ 3

Monolithic Panels

Panel

Door


Tiles


Connectors

**Electrical** 

**Terms & Policies** 

### Glass Marker Board – Steel Backed Upper Outsert Tile





Sample Part Number:



.11.375

.63.5

.M00

VTFOUMGM12064

	Feljowes.
Surface Materials	
Space Planning	
Monolithic Panels	
Panel Frames	
Doors	
Tiles	
Connectors	
Electrical	
Terms & Policies	

### **Volo Connectors**

Horizontal Frame Connectors	78
Vertical Frame Connectors	79

### **Volo Horizontal Connectors**

Horizontal Connectors are the horizontal framing elements of the system that connect the panels to the ceiling and floors.

### Ceiling Crown

Ceiling Crown is available in two styles -Traditional and Reveal. Comes in 12' lengths.

### **Panel Extender**

Allows the height of the panel to extend by 1" at the base or crown.

#### Base

Aluminum Base is available in 9' lengths, Reveal and Vinyl Base is available in 12' lengths to create a seamless run. Order base to match the frame style. The 6" Traditional Base allows for baseway power access.

### Floor Runner

Floor Runner needs to be ordered when specifying 4" and 6" base.

### 90° Corner

A preformed 90° Corner Base is available to provide a finished appearance for the 4" or 6" Base only.

### **End Cap**

End Caps are available to provide a finished appearance on the 4" and 6" Base in an End of Run condition.

Note: End Caps are included when End of Run connectors are ordered. They are also included with all door frames.

Note: The 6" Base End Cap is handed. Right or Left hand is determined by whether the part would be on your right or left hand if you faced the End Caps in their installed position.

### **Volo Ceiling Grid Blocks**

Ceiling Grid Blocks are required to attach the Crown to Traditional/reveal tile type ceilings. Specify one for every 2' of Wall run. Grid Blocks are sized for standard 1" and

9/16" ceiling grids. Verify the tile recess of the ceiling tiles to determine which Grid Block is required. (Tile recess is the measure of how much the ceiling tile sits proud of its grid.) Grid Blocks are offered for two tile recess dimensions, 1/4" (16) and 3/8" (22). Available in Stucco finish color only.

For Traditional Crown with 1" ceiling grid, specify VTGBLOCK14 for a 1/4" tile recess, VTGBLOCK38 for a 3/8" recess.

For Traditional Crown with 9/16" ceiling grid, specify VTGBLOCKS14 for a 1/4" tile recess, VTGBLOCKS38 for a 3/8" recess

For Reveal Crown with 1" ceiling grid, specify VRGBLOCK14 for a 1/4" tile recess, VRGBLOCK38 for a 3/8" recess.

For Reveal Crown with 9/16" ceiling grid. specify VRGBLOCKS14 for a 1/4" tile recess, VRGBLOCKS38 for a 3/8" recess

Special sizes available upon request.

### **Horizontal Frame Connectors**

Description	Length	List Price	Catalog Number	Trim Color
Freestanding Crown Kit	144"	\$ 488	VFCK	Standard Finish
Reveal Ceiling Crown 11/7" w x 17/8 h"	144"	276	VCHRCE	No Cost
Traditional Ceiling Crown 11/2" w x 21/2 h"	144"	353	VCHTCE	Premium Finish + \$40
1" Panel Extender	144"	\$ 236	VCHPE	Anodized + \$80
Aluminum Base	108"	\$ 331	VCHBTA	All Finishes No Cost
4" Vinyl Base	144"	\$ 244	VCHBT4	Standard
6" Vinyl Base	144"	364	VCHBT6	Smooth
6" Vinyl Base Single Power Block Cutout	144"	188	VCHBT6ES	Finish
6" Vinyl Base Double Power Block Cutout	144"	188	VCHBT6ED	Only
Floor Runner - No Teeth	144"	\$ 173	VCHFRN	No Cost
4" Vinyl Base, 90° Corner		\$ 89	VCHBC4	
6" Vinyl Base, 90° Corner		89	VCHBC6	
4" Vinyl Base, End Cap		\$ 14	VBEC4	
6" Vinyl Base, Right End Cap		21	VBEC6R	
6" Vinyl Base, Left End Cap		21	VBEC6L	
1" Ceiling Grid Blocks				
Ceiling Grid Block Traditional Crown 1/4"		\$ 5	VTGBLOCK14	
Ceiling Grid Block Traditional Crown <sup>3</sup> / <sub>8</sub> "		5	VTGBLOCK38	
Ceiling Grid Block Reveal Crown 1/4"		5	VRGBLOCK14	
Ceiling Grid Block Reveal Crown 3/8"		5	VRGBLOCK38	
9/16" Ceiling Grid Blocks				
Ceiling Grid Block Traditional Crown 1/4"		\$ 5	VTGBLOCKS14	
Ceiling Grid Block Traditional Crown 3/8"		5	VTGBLOCKS38	
Ceiling Grid Block Reveal Crown 1/4"		5	VRGBLOCKS14	
Ceiling Grid Block Reveal Crown 3/8"		5	VRGBLOCKS38	
Build your Part Numb				

Sample

**VCHRCE** Y. \$276 N/C

Part Number:

Vertical Connectors are the elements that finish Volo panel runs, join them to existing building walls or join two or more Volo Panels.

### **Wall Starts**

Wall Starts create a clean finished connection with an existing building wall.

Note: Wood Blocking is required only when attaching a swing door to an adjustable wall start.

### **End of Run**

End of runs are used to create a finished panel when it does not join another panel or abut an existing building element.

Note: End Caps are included when End of Run connectors are ordered. They are also included with all door frames.

### **Vertical Frame Connectors**


Plan

**Dimensions** 

13/4"

Description

End of Run



Adjustable

Reveal Wall Start



Description	Plan Dimensions	Height	List Price	Catalog Number	Panel Height	Wood Block	
Adjustable Wall Start	2 1/8" x 3 3/8"	120"	\$ 593	VCVWSA	Specify in 1/2" increments	WO No Wood	Standard Finish No Cost
						Block	Premium Finish + \$40
						Wood Block	Anodized + \$80
Reveal Wall Start	½" x 1"	120"	156	VCVWSR			SS Shadow Silver K Charcoal

List

**Price** 

\$ 364

Height

120"

Catalog

Number

VCVMEOR

Panel

Height

Specify

in 1/2"

increments Trim

Color

Standard

**Finish** 

No Cost

Base

Type

4" Vinyl

Base

Base

Color

Select

only if

Vinyl

4" or 6"

End of Run		ments		6 6" Vinyl Base	Base Selected Standard	
			Anodized + \$80	Alumi- num Base	Smooth Finish Only No Cost	
						l

	Description	Plan Dimensions	Height	List Price	Catalog Number	Т	rim Color	
	1" Filler	1"	122"	\$ 212	VCFL1	Standard Finis	sh No Cost	
	1/2" Filler	1/2"	122"	181	VCFLH	Premium Finis	sh + \$40	
1 Inch Filler	Half Inch Filler					Anodized + 9	\$80	
4								
<u>را</u>	<u></u>		ıild your c ırt Numbe			_	_	_

Sample

Total Cost \$364 =

Part Number:

VCVMEOR 	.119.5	.G _	.4	.L _	
\$364	N/C	N/C	N/C	N/C	

### **Volo Vertical Connectors**

Vertical Connectors are the elements that finish Volo panel runs, join them to existing building walls or join two or more Volo Panels.

### 90° Corner

A 90° Corner Connector includes a vertical cover. A corner base is included when a 4" or 6" base height option is chosen.

Note: Corner Base is included with all 90° corner connectors as standard where 4" and 6" base is selected.

### **Vertical Frame Connectors**

Description	Plan Dimensions	Height	List Price	Catalog Number	Trim Color	Base Type	Base Color
90° Corner	2 ½" x 2 ½"	120"	\$ 244	VCVM90	Standard Finish No Cost Premium Finish + \$40 Anodized + \$80	4 4" Vinyl Base 6 6" Vinyl Base AL2 Aluminum Base	Select only if 4" or 6" Vinyl Base Selected Standard Smooth Finish Only No Cost








Description	Plan Dimensions	Height	List Price	Catalog Number	Trim Color
2-Way 135° Connector	2 ½" x 2 ½"	120"	\$ 332	VCVM2W135	Standard Finish
3-Way 90°/135° Connector	2 ½" x 2 ½"	120"	290	VCVM3W90135	No Cost
4-Way Connector	2 ½" x 2 ½"	120"	323	VCVM4W	Premium Finish + \$40
4-Way Connector					Anodized + \$80

Sample Part Number:

Part Number here:

Total Cost \$244 =



Modular power may not be utilized in vertical Inline Connectors; power must be hard-wired by a qualified electrician.

### Punch-out heights available are:

6" (152) – Data Height 18" (407) – Standard Height Power

32" (813) – Work Height Power 45" (1219) – Switch Height

72" (1829) – AV Height

Note: Punch-out can only be on one side.

### **Punch-out Description:**

COB Switch Height w/Box C2AB Standard Height w/Box C3B Work Height w/Box

C4B Data Height w/Box C5AB Standard and Work

Height w/Box
C6AB Standard and Data Height w/Box

C7B Data and Work Height w/Box

C8B Special Punch out location w/Box

AVB AV Height w/Box

AVC5AB AV, Standard and Work Height w/Box

AVC6AB AV, Data and Standard Height w/Box

### **Wood Blocks**

Wood Blocks are used to attach panels to a fixed wall at an angle other than 90 degrees. The desired angle is cut on site. These wood blocks support projects where field measurements of the wall angle are not available when the order is placed. Confirm there are capabilities to cut the angle on site during installation.

### **Angle Wall Start Wood Blocks**

Angle Wall Start Wood Blocks can be specified in a range of degrees of angle. They are used to accommodate attachment to fixed wall conditions. (Wall Start Model - VCASB10).

Angle Wall Start Wood Blocks (VCASB10) are to be considered as an extension of the architecture, not as part of the wall system. Crown & Wall Start connectors abut to these Blocks.

Specify angle between 3 degrees - 87 degrees. Detailed drawing must be submitted with order.

All Wood Blocks are specified in one of our standard smooth paint finishes. (Includes PA Platinum - Smooth)

### **Vertical Frame Connectors**

Description	Plan Dimensions	Height	List Price	Catalog Number	Punch-Out	Trim Color
Inline Connectors H	ardwire Powe	r Only			CN No Cost No Punch-out	Standard
2-Way Power Spacer	2 ½"x 2 ½"	120"	\$ 353	VCVM2W	<b>C0B</b> + \$173	Finish No Cost
3-Way Power Spacer 3-Way Power Spacer	2 ½"x 2 ½"	120"	276	VCVM3W	C2AB + \$173 C3B + \$173 C4B + \$173 C5AB + \$347	Premium Finish + \$40
					C6AB + \$347 C7B + \$347 C8B + \$173 AVB + \$173 AVC5AB + \$521 AVC6AB + \$521	Anodized + \$80
					(See Description Above)	





### **Wood Blocks**

Description	Length	List Price	Catalog Number	Width	Depth	Trim Color
Wood Block	10'	\$ 338	WB10	Specify in	Specify in	Standard
				1/8" incre-	1/8" incre-	Smooth Finish
				ments	ments	Only No Cost


### **Angle Wall Start Wood Blocks**

Angle from Standard Sm	Description	Length	List Price	Catalog Number	Angle	Trim Color
	Angled Wall Start Wood Block	10'	\$ 460	VCASB10	Angle from	No Cost Standard Smooth Finish Only

Build your complete Part Number here:

> Sample Part Number:

Total Cost \$353 =



# Angle Conditions (Panel-to-Panel) Wood Blocks

Angle Panel-to-Panel Wood Blocks can be specified in a range of degrees of angle.

They are used to attaching panels together at a range of angles other than 90 degrees. Panel-to-panel (Model - VCVS2W)

Panel-to-Panel Angle Blocks (VCVS2W) maintain 1.75" center-of-clip to center-of-wood-block dimension for lay-

out planning purposes. They ship with two Stiles cut to size and attached to the Wood Block, and with 10 panel-to-panel connectors. Specify ceiling height in 1/2" increments.

Specify angle between 3 degrees - 87 degrees. Detailed drawing must be submitted with order.


All Wood Blocks are specified in one of our standard smooth paint finishes. (Includes PA Platinum - Smooth).

### **Angle Conditions (Panel-to-Panel Wood Blocks**

Description	Length	List Price	Catalog Number	Ceiling Height	Angle	Trim Color
Angle Conditions Wood Blocks	10'	\$ 838	VCVS2W	Specify ceiling height, in 1/2" incre- ments	Specify Angle from 3° to 87°	No Cost Standard Smooth Finish Only

Sample Part Number:

Total Cost \$838 =



### Volo Electrical


Power Pack Connector	84
Power Block	85
Ceiling Feed	85
End Mount Base Feed	85
Communication Box	85
Power Duplexes	86
Single Power Duplexes	86
Find Blook	0.0
End Block	86

Electrical

### **PowerPac Connector**

The PowerPac Connector distributes up to four 20amp circuits and attaches directly to a Power Block at any one of the four distribution connections. Connectors are available in lengths from 18" to 144" in 6" increments. UL listed and CSA certified.

Note: Use an End Block to connect one PowerPac Connector to another PowerPac Connector.



### **PowerPac Connector**

Dimensions	List	Catalog
Length	Price	Number
18"	\$ 127	SITVPPC18
20"	127	SITVPPC20
24"	127	SITVPPC24
30"	127	SITVPPC30
36"	127	SITVPPC36
42"	148	SITVPPC42
48"	148	SITVPPC48
54"	148	SITVPPC54
60"	148	SITVPPC60
66"	148	SITVPPC66
72"	192	SITVPPC72
78"	192	SITVPPC78
84"	192	SITVPPC84
90"	192	SITVPPC90
96"	236	SITVPPC96
102"	236	SITVPPC102
108"	236	SITVPPC108
114"	236	SITVPPC114
120"	295	SITVPPC120
126"	295	SITVPPC126
132"	295	SITVPPC132
138"	295	SITVPPC138
144"	295	SITVPPC144
Build your	aamplata	

Build your complete

Part Number here:

Sample Part Number:

SITVPPC18

Total Cost \$127 =

\$127



### **Power Block**

The Power Block offers two distribution connections at each end and distributes up to four 20amp circuits. It is UL listed and CSA certified. The Power Block with base cover includes one 6" high base cover that can be cut to fit a specific application. The Base cover has a single (VPBB6INS) or double (VPBB6IND) knock-out vertically centered at 24" from each end.

## Power Blocks can only be used in conjunction with 6" base panel.

### **Ceiling Feed**


The Ceiling Feed connects a building's electrical supply from a ceiling access to the base electrical system. It distributes up to four 20amp circuits and attaches directly to a Power Block at any one of the four distribution connections. UL listed and CSA certified.

### **End Mount Base Feed**

The End Mount Base Feed is an external electrical supply solution designed to bridge the building electrical with the Volo electrical system. The modular end of the base feed occupies one duplex location on the power block.


### **Electrical Hardwire Box**

The Hardwire Box is a custom size and comes with 2 mounting brackets. UL Listed




### **Power Block with Base Cover**

	Description	Height	Length	List Price	Catalog Number	Base Trim Color
1	Single Block Double Block	6" 6"	144" 144"	\$ 346 395	VPBB6INS VPBB6IND	Standard Smooth Finish Only No Cost
9						



### **Ceiling Feed**

Dimensions	List Price	Catalog Number
15 Feet	309	SITVCF15
20 Feet	382	SITVCF20
25 Feet	461	SITVCF25
50 Feet	847	SITVCF50




### **End Mount Base Feed**

Dimensions	List Price	Catalog Number
72"	\$ 276	VEBFH



### **Electrical Hardwire Box**

Dimensions Width Depth Height			Height	List Price	Catalog Number	
2	х	1 <sup>1</sup> /3"	Х	6 <sup>1</sup> /2"	\$ 179	VVEB



### **Communication Box**

Dimensions			Height	List	Catalog		
Width Depth Height				Price	Number		
	2	Х	13/4"	х	43/4"	\$ 78	VEOCB

Build your complete Part Number here:

Sample Part Number:	V

Total Cost \$346 =

VPBB6INS		.G 	
\$346	+	N/C	

### **Power Duplexes**

The TFS Power Duplex plugs into the pre-wired Floor Box. Each Power Duplex is clearly marked for Circuit I, II, III, or IV $\Delta$  access. Circuit IV $\Delta$  is marked in orange to designate it as a dedicated circuit. Power Duplexes are sold individually or in boxes of 6.

Electrical End Blocks (SITTEEB) connect one PowerPac connector to another within a modular electrical run. One is required at the end of each run.



Package Contains 6 Duplex Plugs

Description	Depth	List Price	Catalog Number	Trim Color
Circuit I	13/8"	\$ 213	TWD1	Standard
Circuit II	13/8"	213	TWD2	Smooth
Circuit III	1 <sup>3</sup> /8"	213	TWD3	Finish
Circuit IV∆	13/8"	240	TWD4	Only
				See Surface Materials
				Page 4

### **Single Power Duplexes**



Depth	List Price	Catalog Number
13/8"	\$ 48	SITD1
13/8"	48	SITD2
13/8"	48	SITD3
13/8"	51	SITD4
	1 <sup>3</sup> /8" 1 <sup>3</sup> /8" 1 <sup>3</sup> /8"	Depth         Price           13/8"         \$ 48           13/8"         48           13/8"         48           13/8"         48

### **End Block**



Female/Female

	List Price	Catalog Number	
Female/ Female Male/Male	\$ 49 28	SITTEEB SITEBMM	
Build your complete Part Number here:			

Sample Part Number:

\$49

Total Cost \$49 =

### Terms & Policies

Terms & Policies	88
Warranty	96

# FELLOWES CONTRACT INTERIORS GLOBAL TERMS AND CONDITIONS OF SALE (All Locations)

These terms shall be considered to be an inseparable part of any additional terms between the applicable Fellowes entity and Customer and are collectively referred to herein as the Terms and Conditions. To the extent that any terms provided by Customer conflict with the terms and conditions that follow, these Terms and Conditions shall govern that transaction.

### Acceptance; Entire Agreement.

Acceptance by Customer of delivery of goods constitutes acceptance by Customer of the following terms and conditions. Any additional or different terms proposed by Customer shall be deemed to have been objected to by the Fellowes entity ("Fellowes" or "Seller"), shall be of no force or effect, and shall not be binding upon or enforceable against Seller. These terms and conditions constitute the entire agreement and understanding between the parties and supersede any and all prior agreements, understandings and communications with Customer, oral or written, relating to the goods that Seller or any of its subcontractors may provide (collectively, the "Goods"). No course of dealing or course of performance, either prior to, during or after the delivery of the Goods, shall be relevant or admissible by Customer to supplement, explain or vary these Terms and Conditions. The invalidity or unenforceability of any Terms and Conditions shall not affect the validity or enforceability of any other term or condition, and the remaining terms and conditions shall remain in full force and effect. No waiver, amendment or modification of these Terms and Conditions shall be binding upon or enforceable against Seller until approved in writing by a Fellowes Authorized Signatory.

### Proprietary Information; Confidentiality.

Advertising. Customer shall consider all information furnished by Fellowes, as well as information learned about Fellowes' business or products, to be confidential and shall not disclose any such information to any other person or entity or use such information itself for any purpose other than performing hereunder, unless Customer obtains written permission from Fellowes to do so. This paragraph shall apply to drawings, specifications, or other documents prepared by Customer or Fellowes in connection with this order as well as observations of Customer while receiving goods or services. Customer shall not advertise or publish the fact that Fellowes has contracted to sell goods or services to Customer, nor shall any information relating to the order be disclosed without Fellowes' written permission unless otherwise agreed in writing, no commercial financial or technical information disclosed in any manner or at any time by Customer to Fellowes shall be deemed secret or confidential and Customer shall have no rights against Fellowes with respect thereof except such rights as may exist under patent or copyright laws.

### Trademark Rights.

Fellowes grants Customer a non-exclusive, royalty-free license to use the Fellowes' trademarks included on any goods purchased hereunder (the "Licensed Marks") in connection with Customer's sale or marketing of goods in the course of Customer's business. The license granted herein does not include a right to sublicense. Customer acknowledges that Fellowes is the owner of the Licensed Marks, and nothing herein shall grant to Customer any right, title or interest in the Licensed Marks, except as specifically set forth herein. Customer shall use Fellowes' trademarks in a manner that is consistent with Fellowes' standards. This includes using the ® designation adjacent to registered trademarks, and the TM designation adjacent to unregistered trademarks, where practicable. Customer shall cooperate with Fellowes' requests to ensure that Fellowes' trademarks are used in this manner. Fellowes shall have the right to review and inspect any marketing or promotional materials relating to the Licensed Products and, in its sole discretion, to prohibit the use of any such materials that do not meet Fellowes' standards. If Customer becomes aware of any infringing products, Customer will promptly notify Fellowes, which reserves the right to take any action. This trademark license is revocable at Fellowes' sole discretion.

### Prices.

Prices quoted by Fellowes are subject to change without notice. Prices billed on invoice at time of shipment shall govern. Unless otherwise stated, all prices are quoted in U.S. Dollars. Seller will not accept or process purchase orders that contain pricing different from the standard prices. Fellowes reserves the right to revise all pricing, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at Fellowes.com. Prices which are in effect at the time of order shall apply. Listed prices exclude additional fees applicable to special services requested by Customer (e.g., special cutting).

### Taxes.

The prices for the Goods do not include sales, use and other taxes, duties and other governmental fees and charges that may be applicable to the Goods, and Customer shall be responsible for and pay upon demand all such taxes, duties and other governmental fees and charges (other than income taxes of Seller), notwithstanding that responsibility for collection or payment of such taxes, duties and other governmental fees and charges may be imposed by law on Seller or any of its subcontractors. All authorized dealers should ensure that a resale tax exemption certificate is on file with Fellowes.

### Discontinued products.

Due to changing market demands, Fellowes may periodically discontinue certain products. Fellowes reserves the right to change and/or discontinue products at any time without notice.

### Credit.

Fellowes may, in its sole discretion, extend credit to the Customer. For credit limits in excess of \$100,000, Fellowes requires audited financial statements prior to initial credit approval and on an annual basis thereafter. Fellowes shall perform periodic credit reviews using credit reporting agencies, trade references, industry trade groups and banks. In the event of a material adverse change in Customer's credit standing or in the event that Customer does not comply with the terms of these



provisions, Fellowes shall have the right to change terms of payment, and Fellowes obligation to provide Products will be subject to reaching mutual agreement on revised terms.

To establish an account, Customer must complete and submit Fellowes' New Account Application (signed by company officer of Customer), Federal Taxpayer ID (Form W-9) and State Resale Certificate. Subject to sales, credit history, and credit lines, a deposit or advance payment may be required to process large orders.

Once credit is approved, payment terms are net 30 days. Prior to Customer's credit approval (with receipt of required documents), prepayment of orders may be made by corporate check, wire transfer or ACH or for convenience, credit cards (Visa and Mastercard) are accepted.

### Payment.

Unless otherwise agreed in writing or stated on the Invoice, all payments are to be made in US Dollars and all amounts payable by Customer shall be due and payable in full 30 days after invoice. Fellowes will not accept the unilateral assessment of any fee, marketing support, co-op or other advertising, expense reimbursement, rebate, offset or any other financial or marketing support not explicitly authorized in writing by an authorized officer of Seller.

Any amounts not paid in full within 30 days after invoice shall be subject to a late payment charge of 1 ½ % per month (or, if less, the maximum amount permitted by law) from the date due until paid. Fellowes' obligation to provide Products is subject to receipt of prompt payment of all invoices pursuant to the terms of this and other agreements we may have with Customer. Progress billing of interest due or a failure to bill for interest due shall not constitute a waiver of Fellowes' right to charge interest on all amounts past due to the date payment is received. Should any portion of an invoice become disputed you agree to pay the undisputed portion according to its terms, and you will notify us promptly of the dispute.

Both parties agree to use their best efforts to resolve the disputed portion of such invoice within 30 days. Fellowes shall have the right to set off against any amount that Fellowes may be obligated to pay to Customer any amounts due or to become due to Fellowes from Customer and its divisions, subsidiaries and affiliated companies. Fellowes may assign payments due to a wholly-owned subsidiary without consent.

### Order Placement and Confirmation.

### (a) Stocked Finished Goods (Workspace Category).

Fellowes be submitted via e-mail to ci-orders@Fellowes.com. Orders must include "Ship To" and "Bill To" information along with complete Fellowes product model numbers and Customer cost. Government orders require a copy of the agency PO at the time the order is placed with Fellowes. All orders shall be subject to written acceptance by an authorized representative of Fellowes. Incomplete orders or changes will delay processing and shipment until receipt of all necessary information and Fellowes issuance of revised Sales Order Acknowledgment.

# (b) For Made-to-Order, Special, and Custom Products (Furniture, Modular Walls, and Air Quality Management Categories)

Fellowes requires all orders to be submitted electronically via on-line order entry at <a href="www.fellowes.com">www.fellowes.com</a>, or in writing following Ordering Procedures. Fellowes recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. Customer assumes all responsibility for the correct content of any order which has been acknowledged.

Upon receiving an order, Fellowes will send an acknowledgement with exact pricing information and a scheduled shipping date. Orders can also be confirmed on-line at www.fellowes.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

### Order changes or cancellations.

All Customer cancellations and changes must be submitted to Fellowes in writing to ci-orders@Fellowes.com. Any request for cancellation or change to an order must be submitted within twenty-four (24) hours of receipt of order acknowledgement by Fellowes. Any requested cancellation or change received thereafter will incur a fee. Order changes include the addition/deletion of line items or changes in quantity or requested Ship Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Change or cancellation requests are not considered accepted until Fellowes provides a revised Sales Order Acknowledgment. Changes may result in processing delays or shipping delays. Under no circumstances will changes or cancellations be accepted on any special order, custom product, or worksurface order without the express written consent of Fellowes. All such custom and special orders are non-returnable.

### Lead-Times and Delays.

Fellowes reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may entail extended lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date for custom product orders as currently published at <a href="https://www.fellowes.com">www.fellowes.com</a>. Please contact your customer service representative for estimated lead-times. If unforeseen circumstances occur, Fellowes may postpone delivery of orders and will notify Customer when such postponement occurs.

Fellowes shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Fellowes' reasonable control. This includes, but is not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Customer, acts of civil or military authority, fires, strikes, disease or pandemic, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Fellowes' reasonable control to obtain necessary labor, manufacturing facilities, or material from Fellowes' usual sources. In no event shall Fellowes be liable for special or consequential damages for any delay for any cause.

### Shipping and Transportation.

### (a) For Stocked Finished Goods

48-hour shipping program

Fellowes offers 48-hour shipping on the majority of finished goods in that are in stock. Unless otherwise requested, these products are shipped from multiple shipping points throughout the U.S., within two business days of receiving the PO, depending on quantity ordered and available inventory. Orders that include products with longer lead times including special orders, custom products, or worksurface orders, are designated as "LT" (lead time) and therefore excluded from the 48-hour shipping program. Large orders may also require additional lead time. Products designated as LT could take up to 90 days for delivery after Fellowes' receipt of Customer's order. Call for on-hand availability.

#### Please note:

- 1. For the order to qualify for 48-hour shipping, all products on the PO must be available under the 48-hour shipping program.
- 2. POs that include LT designated products will be shipped based on the lead time of the LT designated products unless otherwise requested.
- 3. 48-hour orders will be shipped out within two business days of Fellowes' receipt of Customer's order unless otherwise specified on the PO.
- 4. Worksurfaces, Motific, Centro, and Railway may arrive on a date different than the other items on the order.

For all other purchases, delivery dates for the Goods shall be established by mutual agreement of Fellowes and Customer. The minimum order size is \$1500. Fellowes may at its option accept orders not meeting the minimum order size with a \$75 handling fee. Customer shall provide any special shipping or labeling requirements to Fellowes for consideration prior to the first shipment.

Freight terms are as follows:

### For U.S.:

- Orders under \$2,500 list will incur a flat \$25 net fee
- Orders between \$2,501 list and \$5,000 list will incur a flat \$100 net fee
- Orders between \$5,001 list and \$7,000 list will incur a flat \$200 net fee
- Orders over \$7,001 list ship free
- Residential freight deliveries will incur a flat \$70 net fee.

### For Canada:

- Orders under \$3,125 (CAD) list will incur a flat \$50 (CAD) net fee
- Orders between \$3,126 (CAD) list and \$6,250 (CAD) list will incur a flat \$125 (CAD) net fee
- Orders between \$6251 (CAD) list and \$9375 (CAD) list will incur a flat \$250 (CAD) net fee
- Orders over \$9,376 (CAD) list ship free
- Residential freight deliveries will incur a flat \$140 (CAD) net fee.

Fellowes ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states of the United States. Special requests such as "call before delivery", "delivery lift gate required", residential delivery, re-routed deliveries, or specific delivery date/time requests may be subject to additional charges or may not be available. Contact our Customer Service Department for expedited delivery requests or deliveries outside of the contiguous 48 states. Customers will be charged additional fees for changes made to orders that have already departed the facility, resulting in re-delivery or reconsignment.

Fellowes accepts requests for expedited freight at the customer's expense. Please contact our Customer Service Department at 800.833.3746 and provide your preferred carrier account number in which to charge the expedited freight.

Unless an Invoice expressly specifies otherwise, all Goods shall be delivered F.O.B. the shipping platform at the shipping facility, and all shipping and transportation costs from the shipping platform at such facility shall be borne by Customer and all risk of loss, damage or late delivery shall pass to Customer upon loading at the shipping platform at such facility. Seller shall have no responsibility for any failure of or delay in delivery caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labor stoppage or slowdown, or other cause beyond the reasonable control of Seller.

### (b) For Made-to-Order, Special, and Custom Products

All orders shipped to any destination within the contiguous United States, will be F.O.B. origin, freight prepaid. Except as noted above, title and risk of loss or damage shall pass to Customer upon delivery to carrier. Fellowes shall retain a Purchase Money Security Interest in all such goods until payment is received in full and reserves the right to file and perfect the same. Fellowes will determine the method and agency of transportation to be used.



Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Fellowes and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Fridays will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your
  assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload
  shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area
  constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Service.
- Inside delivery service starts at \$50. Call Customer Service for quote.
- Reconsignment cost after shipment starts at \$50. Call Customer Service for quote.
- Special equipment requirements call for a quote.

If delivery is made on Fellowes owned or leased equipment, Customer or its authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Fellowes within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim will be provided by Fellowes only if the product has been immediately unpacked and both the carrier and Fellowes have been promptly notified of resultant damage so the proper inspection can be made.

### Damage and Shortage.

Fellowes is not responsible for shipped products when the common carrier is in receipt of the material. Fellowes expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the Customer to Fellowes Customer Service. Concealed damage or damage not noted at time of delivery shall be made by the Customer to the common carrier within five (5) days after receipt. Fellowes assumes no liability for such damage. Shortage on ordered products must be reported to Fellowes within five (5) days of product delivery and must be noted on the bill of lading at time of delivery.

### Storage.

When shipment is delayed by the Customer, Fellowes reserves the right to place the goods in storage at Customer's risk and cost. Fellowes charges ¼ of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue to apply to Customer's confirmed order; except that title shall remain with Fellowes. Fellowes reserves the right to modify payment terms to assure recovery of any additional cost incurred.

### **Returned Goods.**

To receive authorization to return goods, please contact Fellowes' Customer Service Department. All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after thirty (30) days will be refused and returned to sender collect. Electrical components, nonstandard items and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Fellowes packaging. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. A return authorization will not be issued for items unless they are Fellowes stock items. If material is authorized for return because of Fellowes error, shipment may be made freight collect. Any other goods that Fellowes authorizes a return will be sent prepaid and a restocking charge of 35% will apply.

Fellowes offers free returns for any accessory product returned in the original Fellowes packaging.

Fellowes does not accept returns of any made to order, special or custom product.

### Installation.

Installation and servicing of Fellowes products are normally handled directly by Fellowes-authorized dealers. When this is not possible, assistance is available by calling Fellowes' Customer Service Department. On-site field measurement and installation support is available as a service. The fees are listed below:

Field Installation Assistance: 2 Day On-Site, \$1,200 Field Installation Assistance: 3 Days On-Site, \$1,800 Field Installation Assistance: 4 Days On-site, \$2,400 Field Installation Assistance: 5 Days On-Site, \$3,000

\*Days include ½ day travel to and ½ day travel from location. These fees are based on a minimum fourteen (14) business days advanced notification and booking.

\*Service requests booked less than fourteen (14) business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Fellowes Customer Service at 1-800-833-3746.

### Product Usage and Compliance.

Customer assumes full responsibility for the application of Fellowes' product to Customer's use and compliance with Fellowes installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the Customer or its authorized agent.

### Customer's Own Material or COM.

The Fellowes COM program allows customers to use special materials. By complying with the COM testing procedure in the steps below, Fellowes will be able to identify if your material is appropriate for application to the products you specify. To comply with the COM process, please follow these steps:

- 1. Select the COM material.
- 2. Check first with <a href="www.fellowes.com/">www.fellowes.com/</a>, and consult the COM library to determine if this material has already passed testing for manufacturability on the intended product.
- 3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Fellowes Customer Service Representative).
- 4. If the material requested is not in the COM Library, customer must submit a COM test request on-line at www.fellowes.com, send a sample of the COM material (see Test Yardage Requirements below) and include a list of Fellowes product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
- 5. Ship COM samples to:

U.S. Mail and UPS/ FedEx Shipment: Fellowes - Attn: COM Request 13467 Quincy Street Holland, MI 49424

6. You will be notified within five working days of receiving the material sample by Fellowes, whether your COM has been approved or disapproved for application.

### TEST YARDAGE REQUIREMENTS

TrendWall and Volo Tiles 4 yards
Fabric Screens 2 yards
Choices Panels 1½ yards
Capture Tiles, Intrinsic 1 yard
Freestanding, Ped
Cushions, and Tackboards
Flipper Doors ½ yard

NOTE: Most fabric houses have a yard- age minimum or an upcharge on less than one-yard cuts.

**NOTE:** All COM applications are priced at Grade 1 or Grade A.

If Customer desires to use its own material in the production of Fellowes' products, it is necessary to obtain the prior written consent of Fellowes. Whether purchased by Customer or by Fellowes on Customer's behalf, material provided by the Customer shall be shipped to Fellowes at Customer's sole expense and risk of loss. Fellowes will hold Customer's own materials for up to one (1) year from the date of receipt and thereafter return or dispose of such material at Customer's sole cost and expense.

Customer hereby holds Fellowes harmless against any and all claims for loss, liability, injury, or damage arising from use of Customer-provided material; and Customer takes full responsibility for performance and quality of Customer-provided material. Customer should also be aware that Customer-provided materials may not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Fellowes Customer Service before to placing your order.

### **Custom Color.**

Fellowes' Custom Color program allows the customer to specify their own color on many of Fellowes' products. See <a href="https://www.fellowes.com">www.fellowes.com</a> for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color:

- 1. Complete a Custom Color Request form (available on www.fellowes.com).
- 2. Send request form along with two 2"x3" samples to Fellowes Customer Service Color Coordinator.
- 3. After the receipt of the request, Fellowes will provide customer with one color sample.
- 4. If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.



- 5. Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- 6. If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Specials Request form for details.

### Limited Warranty; Limitations on Liability.

Fellowes grants a limited warranty to the end-users of its Goods, the terms of which are included with each product. Fellowes warrants to the Customer solely that, subject to the terms, conditions and limitations hereof, the Goods conform to the specifications set forth in the Fellowes catalog and will be transferred to customer free and clear of any and all encumbrances. FELLOWES MAKES NO OTHER WARRANTIES AND GIVES NO OTHER ASSURANCES OR GUARANTEES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY GOODS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

FELLOWES' SOLE LIABILITY IN CONNECTION WITH ANY GOODS THAT ARE DEFECTIVE OR DELIVERED LATE SHALL BE LIMITED TO EITHER (i) REFUNDING TO THE CUSTOMER A PERCENTAGE OF THE TOTAL PRICE (EXCLUSIVE OF TAXES, SHIPPING AND OTHER SEPARATE CHARGES) THAT THE CUSTOMER HAS PAID TO FELLOWES FOR ALL GOODS PROVIDED EQUAL TO THE PERCENTAGE OF ALL GOODS PROVIDED THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS, OR (ii) AT FELLOWES' OPTION, REPLACING FOR THE CUSTOMER, AT NO CHARGE TO THE CUSTOMER, THE GOODS THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS.

IN NO EVENT SHALL FELLOWES OR ANY OF ITS SUBCONTRACTORS BE LIABLE FOR (i) ANY INCIDENTAL, INDIRECT, EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, INTEREST, LOST PROFITS OR INTERRUPTION OF BUSINESS), EVEN IF FELLOWES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR IF SUCH DAMAGES RESULT FROM ANY RECOMMENDATIONS MADE BY FELLOWES, OR (ii) ANY LOSSES, DAMAGES, LIABILITIES, SUITS OR CLAIMS THAT ARE COVERED BY ANY INSURANCE MAINTAINED BY OR ON BEHALF OF THE CUSTOMER OR ARE OTHERWISE RECOVERABLE FROM THIRD PARTIES.

IN ADDITION, THE LIABILITY OF FELLOWES AND ITS SUBCONTRACTORS FOR LOSSES, DAMAGES, LIABILITIES, SUITS AND CLAIMS, REGARDLESS OF THE FORM OF ACTION (WHETHER BASED ON CONTRACT, ON NEGLIGENCE, ON STRICT LIABILITY OR OTHERWISE) AND THE PERSON OR ENTITY BRINGING SUCH ACTION, SHALL NOT EXCEED, IN THE AGGREGATE, THE TOTAL AMOUNT (EXCLUSIVE OF TAXES, SHIPPING, AND OTHER SEPARATE CHARGES) ACTUALLY PAID TO SELLER BY THE CUSTOMER FOR THE GOODS AT ISSUE. ANY ACTION AGAINST SELLER MUST BE BROUGHT WITHIN ONE YEAR OF THE CAUSE OF ACTION FIRST ARISING.

### Lifetime Warranty.

Fellowes warrants to the original purchaser that the products described in its price lists, sold after March 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
	Lighting	Panel and Wall Textiles
10 Years	Power Solutions	·
10 rears	Hana Series	!
	Palm Rests/Mouse Pads/ Pencil Drawers	
		Upholstered Cushions
		PET and Acrylic Screens and Modesties
5 Years		Seating Mesh
ı		Plastic Components
ı		Paint
		Customer's Own Material
Not Covered		Custom Requested Logos
I		Special Paint Textures and Finishes

The following exceptions apply to all product lines:

The Fellowes warranty applies to normal Eight hour, Forty hours per week office use.

Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes

any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.

### Governing Law and Dispute Resolution.

In no case shall the 1980 U.N. Convention on Contracts for the International Sale of Goods apply.

If Seller is Fellowes, Inc. or any other subsidiary or joint venture of Fellowes, Inc. not listed below:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in either the United States District Court in and for the Eastern Division of the Northern District of Illinois or the Circuit Court in and for Du Page County, Illinois, and consents to personal jurisdiction of such courts over them in any such action. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

### If Seller is Fellowes Canada, Ltd.

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the Province of Ontario, without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other that the Province of Ontario. Each of the Parties agrees that any legal action arising out of or relating to this Agreement shall be brought in Ontario, Canada, and consents to the personal jurisdiction of such courts over the Parties in any such action. Each of the Parties waives any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of any Party hereto.

If Seller is Fellowes Ltd, Fellowes Ibérica S.L., Fellowes GmbH, Fellowes Polska S.A., Fellowes RU Ltd, Beswick Office Products (Pty) Ltd., Fellowes Leonardi S.p.A., or Fellowes France SA:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of England and Wales. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in England and Wales, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

### If Seller is Fellowes (Australia) Pty. Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of Victoria, Australia. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in courts of the State of Victoria, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Office Products Suzhou Co. Ltd, Fellowes Singapore, Fellowes Malaysia, Fellowes Korea Ltd: The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Any controversy or claim arising out of or relating to these Terms and Conditions, or the breach thereof, will be determined by arbitration administered by the International Centre for Dispute Resolution ("ICDR") in accordance with its International Arbitration Rules. A request for interim measures addressed by Seller and Customer to a judicial authority will not be deemed incompatible with the agreement to arbitrate or a waiver of the right to arbitrate. The place of arbitration will be Chicago, Illinois, U.S.A. The number of arbitrators shall be three (3); Seller and Customer will each appoint one (1) arbitrator, and ICDR will appoint a third arbitrator, who will be the presiding arbitrator. The language of the arbitration will be English. The arbitration award made by ICDR will be final and binding upon the parties. The costs of arbitration will be borne by the losing party, unless otherwise determined by the arbitration award.

**Electrical** 

Fellowes.

Notwithstanding the forgoing, if Customer is domiciled in the People's Republic of China or any other jurisdiction that does not enforce the judgments from a court of a jurisdiction designated by the foregoing paragraphs, the paragraph calling for arbitration with the ICDR shall apply.

### Relationship of parties.

References herein to "Customer" include the person or entity specifically identified in the Invoice as "Customer" and its divisions, subsidiaries and affiliated companies. The relationship of the Parties hereto is that of vendor and purchaser. Nothing in these Terms and Conditions, and no course of dealing between the Parties, shall be construed to create any other type of relationship. Accordingly, Customer shall not be empowered to bind Fellowes in any way, to incur any liability or otherwise act on behalf of Fellowes.

### Severability.

If any clause or portion of these Terms and Conditions shall be held by a court of competent jurisdiction to be illegal, invalid, or unenforceable, the remaining clauses or portions shall remain in full force and effect.

### Force majeure.

Fellowes shall not be liable hereunder for any failure or delay in the performance of its obligations under these Terms and Conditions, if such failure or delay is on account of causes beyond its control, including labor disputes, civil commotion, contagion, pandemic, war, fires, floods, inclement weather, governmental regulations or controls, casualty, government authority, strikes, or acts of God, in which event the Fellowes shall be excused from its obligations for the period of the delay and for a reasonable time thereafter. Fellowes shall use reasonable efforts to notify the other Party of the occurrence of such an event within five business days of its occurrence.

## Fellowes Customer Service Contacts: *Workspace*

Phone: 800-833-3746

Email: cimesacustomerservice@fellowes.com

### Furniture, Modular Walls, and Air Quality Management

Phone: 800-893-8115

Email: ciquincycustomerservice@fellowes.com

# Fellowes.

# Lifetime Warranty

Fellowes warrants to the original purchaser that the products described in its price lists, sold after May 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	<ul><li>Lighting</li><li>Power Solutions</li><li>Hana Series</li><li>Palm Rests/Mouse Pads/ Pencil Drawers</li></ul>	Panel and Wall Textiles
5 Years		<ul> <li>Upholstered Cushions</li> <li>PET and Acrylic Screens and Modesties</li> <li>Seating Mesh</li> <li>Plastic Components</li> <li>Paint</li> </ul>
Not Covered		<ul><li>Customer's Own Material</li><li>Custom Requested Logos</li><li>Special Paint Textures and Finishes</li></ul>

The following exceptions apply to all product lines:

- The Fellowes warranty applies to normal Eight hour, Forty hours per week office use.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal

wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.

02/23