


Fellowes

Monitor Arm
Solutions

2026



Who We Are



For over 100 years, Fellowes has delivered powerful innovations that shape the way people work. And we're just getting started.



We build products that last. Our products are designed, engineered and produced to the highest standards and backed by an industry leading warranty.



When you partner with Fellowes, you are supported by fully-integrated services and team – all working together to deliver an extraordinary final result.

Accolades



FIRA Compliance

FIRA International are an independent Ergonomic Standards Accreditor. This logo signifies that the relevant product complies with EU Health and Safety Legislation: BS EN ISO 9241 Ergonomic requirements for office work with visual display terminals (VDT's): Part 5: 1999, workstation layout and postural requirements.

All Fellowes monitor arms are FIRA accredited.



BIFMA Compliance

BIFMA (Business and Institutional Furniture Manufacturer's Association) certifies commercial-grade office furniture for safety, durability, and sustainability, ensuring suitability for daily use. Certification is based on multi-attribute testing conducted by third-party organisations or independent labs.

All Fellowes monitor arms are BIFMA accredited.





Form Meets Function Meets Sophistication

At Fellowes, we believe that the beauty of modern design goes hand in hand with practicality. Our in-house industrial design team works tirelessly to craft products that don't just serve their purpose but elevate the workplace. With a focus on innovation and functionality, we aim to create solutions that not only help businesses operate more efficiently but also leave a lasting impression—proving that style and substance can go together seamlessly.

What to Consider When Selecting a Monitor Arm

Number of Monitors

Fellowes delivers adaptable solutions that support a wide range of monitor configurations. As workspaces and user needs evolve, we're confident our solutions can seamlessly adjust to meet changing requirements.

Height Adjustment

Monitor arms offer various types of height adjustability. The most user-friendly option is dynamic height adjustment which allows the user to adjust the monitor height quickly and easily with just the touch of a finger.

Weight of Monitor(s)

Fellowes' standard monitor arms in the Eppa™ & Tallo™ range support average monitor weight from 1kg to 8-9kg.

While Rising™ supports between 2kg to 12.7kg.

The weight of the monitor arms should also include any additional monitor accessories (i.e. cables or locks).

Size of Monitor(s)

Most users prefer to have their monitors side-by-side as close as possible with no gaps between them. The versatility of Fellowes monitor arms allow multiple wide monitors to fit side-by-side. Maximum width is contingent on the monitor meeting the weight capacity of the arms. Configurations that include a slider will provide additional horizontal adjustability, allowing monitors of varying sizes to fit together seamlessly. Fellowes monitors arms have the flexibility to support flat and curved monitors.

Size and Shape of the Worksurface

Worksurface depths of 600 millimetres or less are best suited for monitor arm configurations with shorter reach whilst longer arm configurations are recommended where extended reach is required. When positioning two or more monitors side-by-side in a 90° corner, the maximum monitor size will be reduced.



Leading Food Producer and Exporter
Rising™ Dual Monitor Arm (Black/Bronze)
June 2025



Leading Sydney Data Services Provider
Tallo™ Dual Compact Monitor Arm (Black)
May 2025


Monitor Arm Movement

Within the Fellowes monitor arm collection, there are many common movements:


Reach



Rotation




Tilt



VESA mounts tilt forward and backward, providing varied viewing angle options.

Height Adjustment




Fixed Arms:

The arms can be mounted at any height along the pole.

Dynamic Arms (Motion):

Dynamic arms can move up and down with finger touch adjustment. The arms can be mounted at any height along the pole.

Slider



Sliders move your monitor left and right providing more ability to position multiple monitors flush to each other.

Screen Mount Options



VESA



Slider

Desk Mount Options



Clamp



Grommet



Top Mount

No Hassle Assembly With Configuration Options

Rising is a design-forward, ergonomic monitor arm that easily adjusts to you, bringing flexibility and sophistication to your workspace.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Tested by FIRA International Ltd to comply with the ergonomic requirements set out in European Health and Safety Legislation: EN ISO 9241-5.

Awarded Ergonomic Excellence by Fira International.

Slider Mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers 215mm of horizontal adjustability, so even monitors of varying sizes can be positioned flush.



Monitor Arms Rising Series™

Introducing SnapKinect™

The Rising SnapKinect connection system allows the arm to be assembled and installed in 3 easy steps – so you can get to work faster than ever.



STEP 3



STEP 2



STEP 1

Ultimate Flexibility

Rising is thoughtfully engineered with RotationStop™ – a revolutionary new feature that enables you to adjust your monitor swing between 14 distinct stop points. Designed to protect people and equipment, RotationStop™ can help you keep your monitor swing under control and within a pre-determined swing range.



Elevated Design & Finishes

Choose between *Standard*, *In-Trend* and *Premium* Finishes to enhance your space.

While many view monitor arms as purely functional accessories, Fellowes recognises they are among the most visible elements in any workspace, given their placement at the rear of the desk. Designed with sophistication and elegance from the inside out, Rising™ transforms the monitor arm into a statement of functional beauty.


Standard Finishes

Black Platinum Designer White/Silver




In-Trend Finishes

Azure Slate Stardust Sage



Premium Finishes

Black/Bronze Polished Aluminium/ Designer White





Range Features

Sliders for seamless monitor alignment and increased flexibility on maximum screen size for dual and triple configurations

SnapKinect™ fast and easy assembly

Finger touch dynamic height adjustment

RotationStop™ lock-out feature (14 distinct locations)

VESA plate 75mm/100mm quick release

Top mount included. Desk clamp and grommet mount available upon request.


Recommended for worksurfaces 51mm or less for clamp or 76mm or less for grommet

Compatible with flat & curved monitors (single & dual)

2kg–12.7kg weight capacity (per arm)

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime Limited



Rising™ Single Monitor Arm

Rising™ Dual Monitor Arm

Rising™ Triple Monitor Arm

Specifications

298mm height adjustment range
209-507mm (low-high)

70-567mm reach

+45°/-30° (75°) monitor tilt

±90° (180°) VESA rotation

360° arm rotation

49" max monitor size (flat)

49" max monitor size (curved)

Bezel measured left to right.

Max. size is contingent on weight capacity.

Specifications

298mm height adjustment range
217-515mm (low-high)

128-626mm reach

+45°/-30° (75°) monitor tilt

±90° (180°) VESA rotation

270° arm rotation

49" max monitor size (flat)

34" max monitor size (curved)

Bezel measured left to right.

Max. size is contingent on weight capacity.

Specifications

298mm height adjustment range
178-447mm (low-high)

128-663mm reach

+45°/-30° (75°) monitor tilt

±90° (180°) VESA rotation

270° arm rotation

30" max monitor size (flat)

Bezel measured left to right.

Max. size is contingent on weight capacity.

Available Finishes:

Standard Finishes	In-Trend Finishes	Premium Finishes
○ Platinum	● Azure	● Black/Bronze
● Black	● Sage	○ White/Polished Aluminum
○ Designer White	● Stardust	
	● Slate	

Monitor Arms

Rising ID™
Custom Colour & Logo Program



Live Your Brand

With Fellowes exclusive Rising™ custom colour and logo program, design one-of-a-kind Rising™ arms with creative freedom – including any configuration, logo, and colours – to strengthen your brand recognition, inspire your teams, and enhance your workspace.

Process

To get started, contact your Fellowes representative. Our team will work with you on customisation choices, logos, quantities, and timing.


Timeline

Once the custom design is approved and we have received a Purchase Order, lead time will be approximately 12 weeks. A Fellowes Representative will be assigned to communicate with you directly throughout this process. This Process Flow Chart outlines each step that is necessary for successful completion.


Minimum Order Quantities & Pricing

A minimum order quantity of 200 pieces per design and configuration (model) is required. List pricing is determined by the configuration chosen and is inclusive of 3 custom colours, non-polished finish, logo if desired (configuration must include a motion (dynamic) arm), colour samples, first articles for approval, and freight costs.

Note: Rising™ ID models incur a premium price when compared against standard Rising™ pricing.



Rising™ Dual Crossbar



Rising™ Dual Crossbar

Features & Specifications

SnapKinect™ fast and easy assembly

One-hand tilt operation

Horizontal lock out feature to lock crossbar if roll is not desired or to ensure two monitors of different weights can be mounted at any position of crossbar without risk of dropping

Ships with two high-capacity cable covers

Can be used to convert single monitor arms to hold 2 monitors

Crossbar features Omni-Kinetic™ movement:

- Side-to-side tilt with angle adjustability of 5°
- Vertical Tilt
- Horizontal Rotation

1-5kg monitor weight capacity (per monitor)

27" max monitor size (flat)

Bezel measured left to right.

Max. size is contingent on weight capacity.

Warranty: Lifetime Limited

Available Finishes:

Standard Finishes

- Black Designed to suit black and black/bronze Rising™ monitor arms

Monitor Arms

Tallo™ & Tallo Modular



Proprietary Design

Tallo™ and Tallo Modular™ arms by Fellowes, were created to bring distinct style, sophistication and ergonomic excellence to the workspace.

Tallo Modular™ Motion (Dynamic) Arms

Tallo Modular™ configurations that include a motion arm (M) offer finger touch height adjustment. That means the monitor can reposition up and down with ease.

Tallo Modular™ Fixed Arms

Tallo Modular configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible Growth

Because the Tallo Modular™ is pole mounted, arms can be added as needed to support additional monitors.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.
Tested by FIRA International Ltd to comply with the ergonomic requirements set out in European Health and Safety Legislation: EN ISO 9241-5.
Awarded Ergonomic Excellence by Fira International

Tallo™

Range Features

Sliders for seamless monitor alignment and increased flexibility on maximum screen size for dual and triple configurations

Finger touch dynamic height adjustment

VESA plate 75mm/100mm quick release

Desk clamp and grommet mount included
Top mount available upon request



reddot winner 2022



Recommended for worksurfaces
45mm or less for clamp or 75mm or less for grommet
1kg-9kg weight capacity (per arm)
Meets or exceeds BIFMA x5.5 guidelines
Warranty: 15 Years Limited



Tallo™
Single Monitor Arm

Specifications

322mm height adjustment range
178-500mm (low-high)
74-619mm reach
+75°/-35° (110°) monitor tilt
±90° (180°) VESA rotation
180° lock-out feature
360° arm rotation
40" max monitor size (flat)
34" max monitor size (curved)
Bezel measured left to right.
Max. size is contingent on weight capacity.



Tallo™
Dual Monitor Arm

Specifications

322mm height adjustment range
178-500mm (low-high)
120-667mm reach
±60° (120°) monitor tilt
±90° (180°) VESA rotation
180° lock-out feature
270° arm rotation
40" max monitor size (flat)
34" max monitor size (curved)
Bezel measured left to right.
Max. size is contingent on weight capacity.




Tallo™
Compact Dual Monitor Arm

Specifications

322mm height adjustment range
0-482mm (low-high)
120-446mm reach
±60° (120°) monitor tilt
±90° (180°) VESA rotation
180° lock-out feature
270° arm rotation
40" max monitor size (flat)
Bezel measured left to right.
Max. size is contingent on weight capacity.

Available Finishes:

Standard Finishes



Tallo™ Laptop Arm Accessory

Combine with any Tallo arm for a multi-screen set up. Optional ergonomic handle for easy adjustment and quick release plate for seamless installation.

* See Page 22

How Tallo™ Modular Works

Choose a configuration to suit your needs from a mixture of fixed & dynamic arm options.


Fellowes offers adaptable solutions for a wide range of monitor screen configurations. Should the needs of the user change, the Tallo™ Modular series can all be easily modified in the field to accommodate additional monitors and changing work environments.

Fixed and dynamic arms

Fixed arms provide additional reach and movement as well as being a cost effective solution where regular height adjustment is not required. Dynamic arms deliver effortless height adjustment, great for hot desking and collaborative working.

Sliders

Sliders allow you to increase the size of screens an arm can hold whilst enabling you to place screens seamlessly side by side. This helps to save valuable desk space and maintain an ergonomic working position.



Tallo™ Modular



Range Features

Sliders for seamless monitor alignment and increased flexibility on maximum screen size for dual and triple configurations	Recommended for worksurfaces 45mm or less for clamp or 75mm or less for grommet (85mm for triple and quad)	VESA plate 75mm/100mm quick release ±90° (180°) VESA rotation 510mm pole height (includes base) (Quad pole height 711mm)
Fixed height or finger touch dynamic and fixed height adjustment	1kg–9kg weight capacity (per arm) (Quad weight capacity 1kg–7kg per arm)	Meets or exceeds BIFMA x5.5 guidelines Warranty: 15 Years Limited

Tallo™ Modular Single



Specifications

	1F	1FF	1M	1FM
Height Adjustment Range	166 - 603 mm	250 - 673 mm	0 - 772 mm	0 - 852 mm
Height Adjustability	-		322 mm	322 mm
Reach Range	74 - 373 mm	74 - 628 mm	74 - 432 mm	74 - 687 mm
Tilt	+ 75° / - 35° (110°)			
Arm Swivel	270°			
Max Monitor Size (diagonal)	40" (flat), 34" (curved)			

Tallo™ Modular Dual



Specifications

	2FS	2FFS	2MS	2FMS
Height Adjustment Range	188 - 623 mm	250 - 673 mm	0 - 791 mm	0 - 871 mm
Height Adjustability	-		322 mm	322 mm
Reach Range	120 - 450 mm	120 - 705 mm	120 - 446 mm	120 - 764 mm
Tilt	± 60° (120°)			
Arm Swivel	270° / 180° Lockout feature			
Max Monitor Size (diagonal)	40" (flat)	40" (flat), 34" (curved)	40" (flat)	40" (flat), 34" (curved)

Tallo™ Modular Triple & Quad




Specifications

	3FFS	3FMS	4FFS	4FMS
Height Adjustment Range	267 - 524 mm	267 - 524 mm	250 - 874 mm	0 - 1072 mm
Dynamic Height Adjustability	-	322 mm	-	322 mm
Reach Range	120 - 705 mm	120 - 764 mm	120 - 705 mm	120 - 764 mm
Tilt	± 60° (120°)			
Arm Swivel	270° / 180° Lockout feature			
Max Monitor Size (diagonal)	30" (flat)	32" (flat)	40" (flat)	40" (flat)

Monitor Arms

Eppa™ Series



Height Adjustment

Beneath Eppa's minimalist design is a reliable and smooth finger touch adjustment control that supports a 282mm dynamic height adjustment range.

Retraction

Retracting to a 100mm and extending to just over five hundred millimetres. Eppa offers a comfortable viewing distance no matter the size of the workstation.

Conversion

Reuse most of the parts in your single Eppa arm when you convert up to the dual Eppa with our simple kit. Conversion kit sold separately.

Quality Testing

Meets or exceeds BIFMA x5.5 guidelines.

Eppa™

Range Features

Finger touch dynamic height adjustment

Recommended for worksurfaces 85mm or less for clamp or 80mm or less for grommet

1kg–8kg weight capacity (per arm)

VESA plate 75mm/100mm quick mount

±180° (360°) VESA rotation

Meets or exceeds BIFMA x5.5 guidelines

Warranty: 5 Years Limited



Eppa™
Single monitor arm

Specifications

282mm height adjustment range
133-415mm (low-high)

67-537mm reach

±90°/-25° (115°) monitor tilt


180° lock-out feature

360° arm rotation

40" max monitor size (flat)

Bezel measured left to right.

Max. size is contingent on weight capacity.



Eppa™
Dual monitor arm

Specifications

282mm height adjustment range
133-415mm (low-high)

67-537mm reach

±90°/-25° (115°) monitor tilt

180° lock-out feature

270° arm rotation

40" max monitor size (flat)

Bezel measured left to right.

Max. size is contingent on weight capacity.



Eppa™
Dual Kit

Specifications

Converts an existing Eppa single monitor arm to an Eppa dual arm.

Kit includes:

One single arm


One dual base

One clamp mount











One grommet mount











Available Finishes:











Standard Finishes




RISING™ CONFIGURATIONS





Rising™ Single Monitor Arm										
										
	Black	Designer White	Platinum	Black/Bronze	P/Aluminum	Azure	Slate	Sage	Stardust	
	100016610	100016611	100016612	100016613	100016614	100017194	100017196	100017195	100017197	





Rising™ Dual Monitor Arm										
										
	Black	Designer White	Platinum	Black/Bronze	P/Aluminum	Azure	Slate	Sage	Stardust	
	100016615	100016616	100016617	100016618	100016619	100017198	100017200	100017199	100017202	





Rising™ Triple Monitor Arm										
										
	Black	Designer White	Platinum	Black/Bronze	P/Aluminum	Azure	Slate	Sage	Stardust	
	100016620	100016621	100016622	100016623	100016624	100017203	100017205	100017204	100017206	

Rising Crossbar	
	
	Black
	100142286





TALLO™ CONFIGURATIONS

Tallo™ Single Monitor Arm			
			
	Black	White	Silver
	8614301	8614601	8613001





Tallo™ Dual Compact Monitor Arm			
			
	Black	White	Silver
	8614501	8614801	8613201





Tallo™ Dual Monitor Arm			
			
	Black	White	Silver
	8614401	8614701	8613101





TALLO™ ACCESSORIES





Tallo™ Laptop Accessory (suited for all Tallo monitor arms, max. 18")			
			
	Black	White	Silver
	8000401	8000501	8000601





TALLO MODULAR™ CONFIGURATIONS





Tallo Modular™ 1F Monitor Arm			
			
	Black	White	Silver
	8614901	8615901	8613301





Tallo Modular™ 1FF Monitor Arm			
			
	Black	White	Silver
	8615001	8616001	8613401





Tallo Modular™ 1M Monitor Arm			
			
	Black	White	Silver
	8615201	8616201	8613601





Tallo Modular™ 1FM Monitor Arm			
			
	Black	White	Silver
	8615101	8616101	8613501





Tallo Modular™ 2FS Monitor Arm			
			
	Black	White	Silver
	8615301	8616301	8613701





Tallo Modular™ 2FFS Monitor Arm			
			
	Black	White	Silver
	8615401	8616401	8613801





Tallo Modular™ 2MS Monitor Arm			
			
	Black	White	Silver
	8615601	8616601	8614001

Tallo Modular™ 2FMS Monitor Arm			
			
	Black	White	Silver
	8615501	8616501	8613901





Tallo Modular™ 3FFS Monitor Arm			
			
	Black	White	Silver
	8615701	8616701	8614101





Tallo Modular™ 3FMS Monitor Arm			
			
	Black	White	Silver
	8615801	8616801	8614201




Tallo Modular™ 4FFS Monitor Arm			
			
	Black	White	Silver
	8610001	8610101	8610201

Tallo Modular™ 4FMS Monitor Arm			
			
	Black	White	Silver
	8610301	8610401	8610501

EPPA™ CONFIGURATIONS

Eppa™ Single Monitor Arm			
			
	Black	White	Silver
	9683101	9683201	9683001

Eppa™ Dual Monitor Arm			
			
	Black	White	Silver
	9683401	9683501	9683301

Eppa™ Dual Kit		
		
	Black	Silver
	9683601	9683701

Fellowes
Brands™


FAMILY BUSINESS
SINCE 1917



In 1917, Harry Fellowes set in motion a way of doing business that has become our cultural foundation at Fellowes to this very day. We are here to serve, through a humble and helpful spirit. We strive each day to pursue our values of family, innovation, quality and care. Into our fourth generation, our work is driven by a purpose to add value to those we serve.



Established in 2014, GIVE is a purpose-led program dedicated to supporting local and global partners who are addressing humanitarian's greatest social, education and health-based needs.



Formed in 2021, Earth is a renewed commitment to preserve, protect and renew our planet. Grounded in a conviction that we have great responsibility in caretaking our generation's imprint on this world, the Earth framework is integrated into our product development process, packaging design, organisational facilities and policies as well as our daily decision-making.

For After Sales Care & Support
please contact Fellowes® customer service, call 1800 33 11 77